

NECK SIZING BUSHINGS - L.E. WILSON STEEL NECK SIZER DIE BUSHING .269

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Hardened stainless steel neck bushing from L.E. Wilson. Wilson makes their bushings in .001" increments. The size marked on them refers to the middle of the bushing, which is reamed with a .003" taper. Since the case neck only reaches the middle, a slightly tighter sizing can be achieved by turning the bushing over, with the markings facing toward the case (markings facing down). This is mainly an emergency step to be taken if the brass has hardened, springing back more, and will no longer hold the bullet; or for fine-tuning the sizing to provide less additional "squeeze" than using the next smaller bushing in the normal way. Made to similar specs to the Redding neck bushings. Will not interchange with Forster or RCBS dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [L.E. WILSON STEEL NECK SIZER DIE BUSHING .269](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749002451
- Mfr. No.: B-269
- Diameter (in): .269
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 815145024596

Item details

Made in USA

Table of Contents

- Startpage
- NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .269 Safety Instruction Guide
- About Us

NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .269 Safety Instruction Guide

Introduction

Thank you for choosing the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .269. This guide provides essential safety instructions to ensure the safe use of this product. It is important to read and understand these instructions before use to prevent any potential hazards.

General Safety Guidelines

- Always follow the manufacturer's instructions for use.
- Ensure that the product is used in accordance with the intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage.
- Do not use the product if it appears to be damaged or malfunctioning.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Hazard Identification:

- Risk of injury may arise from improper handling or incorrect sizing of the bushing.
- Brass cases may spring back, leading to potential misfires or improper bullet seating.

• Avoiding Hazards:

- Always measure the outside neck diameter of your loaded cartridge before selecting a bushing.
- Ensure that the bushing is correctly sized to avoid excessive tension on the bullet.
- If using the bushing in reverse (markings facing down), ensure it is only done in emergencies.
- Wear safety glasses during the resizing process to protect your eyes from any debris.

• Age Specific Warnings:

- This product is not intended for use by children. Adult supervision is required if used in environments where children are present.

Instructions for Installation and Usage

1. Selecting the Correct Bushing:

- Measure the outside neck diameter of your loaded cartridge.
- Subtract .002" to .003" from this measurement to choose the appropriate bushing size. This allows for brass spring back.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure the die is securely mounted in your reloading press.
- Insert the chosen neck bushing into the die, ensuring it is seated properly.

3. Using the Neck Bushing:

- Place the case in the shell holder and raise the ram to engage the die with the case neck.
- Apply consistent pressure to resize the neck. Avoid excessive force that may damage the bushing or case.
- If necessary, turn the bushing over (markings facing down) for tighter sizing in emergency situations.

4. PostUse Care:

- Clean the bushing after use to remove any debris or brass residue.
- Store the bushing in a safe, dry place away from children and pets.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not throw the product in regular household waste. Instead, check for recycling options in your area.

Contact Information for Further Support

For any questions or concerns regarding the product, please refer to the manufacturer's website or customer support resources provided at the time of purchase.

Thank you for your attention to these safety instructions. Your safety and the effective use of the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .269 are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk