

NECK SIZING BUSHINGS - L.E. WILSON STEEL NECK SIZER DIE BUSHING .248

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Hardened stainless steel neck bushing from L.E. Wilson. Wilson makes their bushings in .001" increments. The size marked on them refers to the middle of the bushing, which is reamed with a .003" taper. Since the case neck only reaches the middle, a slightly tighter sizing can be achieved by turning the bushing over, with the markings facing toward the case (markings facing down). This is mainly an emergency step to be taken if the brass has hardened, springing back more, and will no longer hold the bullet; or for fine-tuning the sizing to provide less additional "squeeze" than using the next smaller bushing in the normal way. Made to similar specs to the Redding neck bushings. Will not interchange with Forster or RCBS dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [L.E. WILSON STEEL NECK SIZER DIE BUSHING .248](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749002477
- Mfr. No.: B-248
- Diameter (in): .248
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 815145024381

Item details

Made in USA

Table of Contents

- Startpage
- NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .248 Safety Instructions
- About Us

NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .248 Safety Instructions

Introduction

Thank you for choosing the L.E. Wilson Steel Neck Sizer Die Bushing .248. This product is designed to enhance your reloading experience by providing precise neck sizing for your cartridges. To ensure your safety and the proper use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Ensure that the workspace is clean and free of obstructions when using the neck bushing.
- Keep the neck bushing out of reach of children and pets.
- Regularly inspect the neck bushing for signs of wear or damage before use.
- If you notice any defects or issues, discontinue use immediately and consult a qualified professional.
- Report any unsafe product incidents or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Handle the neck bushing with care to avoid injury from sharp edges.
- Use appropriate personal protective equipment (PPE), such as safety glasses, when using the neck bushing.
- Ensure that your reloading equipment is in good working condition before using the neck bushing.
- Do not exceed the recommended sizing limits as indicated by the manufacturer.
- When adjusting the bushing or making changes to your reloading setup, always ensure that the equipment is powered off and safe to handle.
- Avoid using the neck bushing if you are unsure about its condition or compatibility with your reloading setup.

Instructions for Installation and Usage

1. Selecting the Correct Bushing Size:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for optimal neck tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure that your reloading die is clean and free from debris.
- Insert the neck sizing bushing into the die according to the manufacturer's instructions.
- Secure the bushing in place, ensuring it is properly aligned.

3. Usage:

- Place the cartridge into the reloading press and follow the standard reloading procedure.
- If you need a tighter sizing, you may turn the bushing over with the markings facing down towards the case.
- Monitor the sizing process to ensure that the neck tension is adequate and consistent.

4. PostUse Care:

- After use, clean the neck bushing to remove any debris or residue.
- Store the bushing in a safe, dry place away from direct sunlight and moisture.

Disposal Instructions

- Dispose of the neck sizing bushing responsibly according to local regulations.
- If the bushing is damaged or worn, do not place it in regular waste. Instead, consult your local waste management facility for proper disposal methods.

Contact Information for Further Support

For safety inquiries or additional support, please reach out to the manufacturer's customer service or refer to the product packaging for contact details.

By following these safety instructions, you can ensure a safe and effective reloading experience with the L.E. Wilson Steel Neck Sizer Die Bushing .248. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk