

SEATER DIES - SEATER DIE 280 REMINGTON ACKLEY IMPROVED

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Redding Seating Die includes bullet guide, built-in crimp ring and the proper seating plug. All dies are made using the finest alloy steels obtainable and machined on Hardinge Super-Precision lathes capable of holding the tightest tolerances in the industry. Heat treated in atmospherically controlled furnaces and hand polished for smooth, flawless functioning, these dies will maintain tolerances and last a lifetime. Inspected and ultrasonically cleaned before packaging.



Attributes

- Name: [SEATER DIE 280 REMINGTON ACKLEY IMPROVED](#)
- Manufacturer: [REDDING](#)
- Product no.: 749005743
- Mfr. No.: 92428
- Cartridge: 280 Ackley Improved
- Die Style: Bullet Seating Dies
- Delivery weight: 0.295kg
- Shipping height: 38mm
- Shipping width: 58mm
- Shipping length: 132mm
- UPC: 611760924286

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SEATER DIES SEATER DIE 280 REMINGTON ACKLEY IMPROVED
- About Us

Safety Instruction Guide for SEATER DIES SEATER DIE 280 REMINGTON ACKLEY IMPROVED

Introduction

Thank you for choosing the SEATER DIES SEATER DIE 280 REMINGTON ACKLEY IMPROVED. This guide provides essential safety information and instructions to ensure the safe and effective use of this product. Please read all sections carefully before using the die.

General Safety Guidelines

- Ensure you are familiar with the die and its components before use.
- Always wear appropriate safety gear, such as safety glasses and gloves, when handling reloading equipment.
- Keep the die and all reloading materials out of reach of children and unauthorized individuals.
- Inspect the die for any visible damage or defects before use. Do not use if damaged.
- Follow all local laws and regulations regarding reloading and ammunition.

Specific Safety Precautions for Use

- Handle the die with care to avoid injury. Sharp edges may be present.
- Use the die only for its intended purpose—bullet seating for 280 Ackley Improved cartridges.
- Ensure the die is securely mounted to the reloading press before use.
- Avoid overtightening the die, as this may lead to damage or malfunction.
- Always doublecheck the seating depth of the bullet to prevent overseating or underseating.
- Never exceed the recommended load data provided by reliable sources.

Instructions for Installation and Usage

• Installation:

1. Ensure the reloading press is turned off and unplugged.
2. Securely mount the die into the press according to the manufacturer's instructions.
3. Adjust the die to the desired seating depth using the seating plug.
4. Tighten the locking ring to secure the die in place.

• Usage:

1. Prepare your cartridges and ensure they are clean and free of debris.
2. Insert a cartridge case into the press and position it under the die.
3. Insert the bullet into the case mouth.
4. Pull the handle of the press to seat the bullet. Monitor the process closely to ensure proper seating.
5. After seating, inspect each cartridge for proper bullet depth and alignment.

Disposal Instructions

- Dispose of any damaged or unusable dies in accordance with local regulations.
- Recycle packaging materials where possible. Follow local recycling guidelines to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or product support, please refer to the manufacturer's contact information provided on the packaging or product documentation.

By following these safety instructions, you can ensure a safe and effective reloading experience with the SEATER DIES SEATER DIE 280 REMINGTON ACKLEY IMPROVED. Always prioritize safety and compliance with local regulations during your reloading activities.

About Us

Brownells Switzerland

Brownells Switzerland

www.brownells.ch