

COMPETITION SEATER DIES - REDDING 6MM REMINGTON BULLET SEATING DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

We feel the Redding Competition Bullet Seater is the best bullet 7/8-14 bullet seater on the market today. The machining is precise, and the sliding chamber is the smoothest we have ever experienced in a seater. This micrometer-adjustable die is calibrated in .001"" increments for precise seating depth adjustments and is infinitely adjustable (no clicks). It also has a zero set feature that allows you to zero the micrometer to your favorite seating depth. Sold separately or as part of a set. Also available for handgun and straight wall cartridges.



Attributes

- Name: [REDDING 6MM REMINGTON BULLET SEATING DIE](#)
- Manufacturer: [REDDING](#)
- Product no.: 749007440
- Mfr. No.: 55115
- Cartridge: 6 mm Remington
- Die Style: Bullet Seating Dies
- Delivery weight: 0.431kg
- Shipping height: 41mm
- Shipping width: 112mm
- Shipping length: 152mm
- UPC: 611760551154

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for the Redding Competition Seater Die
- About Us

Safety Instruction Guide for the Redding Competition Seater Die

Introduction

Thank you for choosing the Redding Competition Bullet Seater Die. This product is designed for precision bullet seating and is suitable for reloading 6 mm Remington cartridges. To ensure safe and effective use, please read and follow this safety instruction guide carefully.

General Safety Guidelines

- Always handle all reloading equipment with care to prevent accidents.
- Ensure that your workspace is clean and free of any distractions.
- Keep this product out of reach of children and vulnerable individuals.
- Familiarize yourself with the product's features and instructions before use.
- Regularly check for any signs of wear or damage to the die and other reloading equipment.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about any recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only the appropriate cartridges specified for this die (6 mm Remington).
- Ensure that the die is securely attached to the reloading press before use.
- Do not exceed recommended seating depths to prevent potential hazards.
- Always wear safety glasses when reloading to protect your eyes from debris.
- Do not use the die if it appears damaged or malfunctioning.
- Follow all local laws and regulations regarding ammunition reloading and storage.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is clean and properly maintained.
- Attach the Redding Competition Bullet Seater Die to the reloading press using the standard 7/814 threads.
- Tighten the die securely to avoid movement during operation.

2. Usage:

- Set the micrometer to your desired seating depth. The die is calibrated in .001" increments for precision.
- Place a cartridge case in the shell holder of the reloading press.
- Insert the bullet into the case mouth.
- Activate the press to seat the bullet to the desired depth.
- Check the seating depth with a caliper to ensure accuracy.
- Repeat the process for additional cartridges, adjusting the micrometer as needed.

Disposal Instructions

- Dispose of any damaged or unusable reloading equipment according to local regulations.
- Do not throw the die in regular waste. Check for recycling options specific to metal products in your area.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please refer to the manufacturer's website or contact their customer service. Ensure you have the product details ready for efficient assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.
Happy reloading!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk