

SEATER DIES - REDDING SEATER DIE 308 MARLIN EXPRESS

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Redding Seating Die includes bullet guide, built-in crimp ring and the proper seating plug. All dies are made using the finest alloy steels obtainable and machined on Hardinge Super-Precision lathes capable of holding the tightest tolerances in the industry. Heat treated in atmospherically controlled furnaces and hand polished for smooth, flawless functioning, these dies will maintain tolerances and last a lifetime. Inspected and ultrasonically cleaned before packaging.



Attributes

- Name: [REDDING SEATER DIE 308 MARLIN EXPRESS](#)
- Manufacturer: [REDDING](#)
- Product no.: 749011096
- Mfr. No.: 92294
- Cartridge: 308 Marlin Express
- Die Style: Bullet Seating Dies
- Delivery weight: 0.249kg
- Shipping height: 38mm
- Shipping width: 58mm
- Shipping length: 132mm
- UPC: 611760922947

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SEATER DIES REDDING SEATER DIE 308 MARLIN EXPRESS](#)
- [About Us](#)

Safety Instruction Guide for SEATER DIES REDDING SEATER DIE 308 MARLIN EXPRESS

Introduction

Thank you for choosing the SEATER DIES REDDING SEATER DIE 308 MARLIN EXPRESS. This product is designed for precision reloading of ammunition. Please read this safety instruction guide carefully to ensure safe and effective use of the die.

General Safety Guidelines

- Ensure that the product is used in accordance with all local laws and regulations regarding ammunition reloading.
- Always wear appropriate safety gear, including safety glasses and gloves, when handling reloading equipment.
- Keep the die and all reloading components out of reach of children and unauthorized persons.
- Regularly inspect the die for signs of wear or damage. Do not use if any part is compromised.
- Be aware of the potential hazards associated with reloading ammunition, including the risk of explosion and injury.

Specific Safety Precautions for Use

- Always ensure that the die is securely mounted in a stable reloading press before use.
- Use only the recommended cartridges (308 Marlin Express) with this die.
- Do not exceed the recommended load specifications for the ammunition being reloaded.
- Avoid distractions while reloading to maintain focus and prevent accidents.
- If you experience any unusual resistance or issues while using the die, stop immediately and inspect for problems.

Instructions for Installation and Usage

1. Installation:

- Securely attach the die to your reloading press, following the manufacturer's instructions for your specific press model.
- Ensure that the bullet guide is properly positioned for accurate bullet seating.

2. Usage:

- Place a cartridge case into the reloading press and raise the ram to the top position.
- Insert the bullet into the case mouth, ensuring it is aligned with the seating plug.
- Lower the ram slowly and apply consistent pressure until the bullet is seated to the desired depth.
- Repeat the process for additional cartridges, checking each for proper seating.

Disposal Instructions

- Dispose of any unused or damaged components in accordance with local regulations.
- Avoid disposing of ammunition components in regular trash. Contact local authorities for guidance on safe disposal practices.

Contact Information for Further Support

For any questions or concerns regarding the SEATER DIES REDDING SEATER DIE 308 MARLIN EXPRESS, please reach out to the manufacturer or your local retailer for assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with the SEATER DIES REDDING SEATER DIE 308 MARLIN EXPRESS. Always prioritize safety and stay informed about best practices in ammunition reloading. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk