

FLAT BULLET SEATING MICROMETER - #11 FLAT BULLET SEATING MICROMETER

Redding Bullet Seating Micrometers are for use with most standard Redding Seating Dies and provide a direct replacement for the original seat plug. They provide a direct replacement for the original seat plugs and can easily be changed from one die to another. Redding Bullet Seating Micrometers for bottleneck cartridges are available for traditional bullet shapes (STD) and for VLD bullet shapes (VLD). They are also available for handgun and straight wall cartridges with traditional bullet shapes (STD) and flat nose bullet designs (FLAT).



Attributes

- Name: #11 FLAT BULLET SEATING MICROMETER
- Manufacturer: REDDING
- Product no.: 749017213
- Mfr. No.: 09471
- Delivery weight: 0.079kg
- Shipping height: 19mm
- Shipping width: 19mm
- Shipping length: 114mm
- UPC: 611760094712

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: FLAT BULLET SEATING MICROMETER #11 Safety Instruction Guide](#)

FLAT BULLET SEATING MICROMETER #11 Safety Instruction Guide

Introduction

Thank you for choosing the FLAT BULLET SEATING MICROMETER #11. This product is designed to enhance the precision of your reloading process. Please read this safety instruction guide carefully to ensure safe and effective use, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always wear appropriate safety gear, including eye protection, when using reloading equipment.
- Keep the micrometer and all related equipment out of reach of children and vulnerable individuals.
- Do not use the micrometer if it appears damaged or malfunctioning.
- Regularly inspect the micrometer for wear and tear to prevent accidents.
- Dispose of any defective or unusable components according to local regulations.

Specific Safety Precautions for Use

- Avoid using excessive force when adjusting the micrometer; this may cause damage or inaccurate measurements.
- Ensure that the micrometer is properly secured to the die before use to prevent slippage during operation.
- Use the micrometer in a welllit area to ensure clear visibility of measurements.
- Do not modify the micrometer or attempt to repair it yourself; contact the manufacturer for assistance.
- Follow all manufacturer guidelines for compatible seating dies to ensure optimal performance.

Instructions for Installation and Usage

1. Installation:

- Remove the existing seat plug from your Redding Seating Die.
- Carefully insert the FLAT BULLET SEATING MICROMETER into the die in place of the original seat plug.
- Ensure that the micrometer is securely fitted and locked into position.

2. Usage:

- Adjust the micrometer to the desired bullet seating depth using the adjustment knob.
- Once set, insert the bullet into the die and apply gentle pressure to seat the bullet.
- Check the seating depth using a caliper to ensure accuracy.
- If adjustments are needed, repeat the adjustment process as necessary.

Disposal Instructions

- Dispose of the micrometer and any related components in accordance with local waste disposal regulations.
- Do not dispose of the micrometer in regular household waste if it is deemed unsafe or defective.
- If the product is no longer usable, consider recycling materials where possible.

Contact Information for Further Support

For any inquiries regarding the FLAT BULLET SEATING MICROMETER #11, please refer to the manufacturer's contact information provided with your product. It is important to reach out for assistance if you have any safety concerns or require further guidance on usage.

By following these guidelines and instructions, you can ensure a safe and effective experience with your FLAT BULLET SEATING MICROMETER #11. Always prioritize safety and compliance with the EU GPSR to protect yourself and others.