

FLAT BULLET SEATING MICROMETER - #14 FLAT BULLET SEATING MICROMETER

Redding Bullet Seating Micrometers are for use with most standard Redding Seating Dies and provide a direct replacement for the original seat plug. They provide a direct replacement for the original seat plugs and can easily be changed from one die to another. Redding Bullet Seating Micrometers for bottleneck cartridges are available for traditional bullet shapes (STD) and for VLD bullet shapes (VLD). They are also available for handgun and straight wall cartridges with traditional bullet shapes (STD) and flat nose bullet designs (FLAT).



Attributes

- Name: #14 FLAT BULLET SEATING MICROMETER
- Manufacturer: REDDING
- Product no.: 749017215
- Mfr. No.: 09474
- Delivery weight: 0.084kg
- Shipping height: 19mm
- Shipping width: 19mm
- Shipping length: 114mm
- UPC: 611760094743

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: FLAT BULLET SEATING MICROMETER Safety Instruction Guide](#)

FLAT BULLET SEATING MICROMETER Safety Instruction Guide

Introduction

Thank you for choosing the FLAT BULLET SEATING MICROMETER #14. This guide provides essential safety instructions and usage information to ensure safe operation and maintenance of the product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product.

General Safety Guidelines

- Always handle the micrometer with care to avoid damage.
- Ensure that the micrometer is used in a clean and dry environment.
- Keep the micrometer out of reach of children and vulnerable individuals.
- Regularly inspect the micrometer for any signs of wear or damage.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use the micrometer only with compatible Redding Seating Dies.
- Avoid excessive force when adjusting the micrometer to prevent damage.
- Do not disassemble the micrometer beyond the recommended maintenance procedures.
- Ensure that you are familiar with the specific bullet types (STD, VLD, FLAT) before use.
- Always wear appropriate safety gear, such as safety glasses, when using the micrometer.

Instructions for Installation and Usage

1. Installation

- Ensure that the seating die is securely mounted in your reloading press.
- Carefully remove the original seat plug from the die.
- Insert the FLAT BULLET SEATING MICROMETER into the die, ensuring it fits snugly.
- Adjust the micrometer to the desired bullet seating depth according to your specifications.

2. Usage

- Select the appropriate bullet type (STD, VLD, FLAT) for your cartridge.
- Place a bullet into the seating die and lower the ram to seat the bullet.
- Monitor the seating depth using the micrometer; make adjustments as necessary.
- After use, clean the micrometer to maintain its accuracy and longevity.

Disposal Instructions

- Dispose of the micrometer in accordance with local regulations.
- Do not dispose of the micrometer in regular household waste.
- Consider recycling options for metal components where applicable.

Contact Information for Further Support

For any questions or concerns regarding the FLAT BULLET SEATING MICROMETER, please refer to the manufacturer's website or contact your local distributor for assistance.

Thank you for prioritizing safety while using your FLAT BULLET SEATING MICROMETER. Your adherence to these guidelines helps ensure a safe and effective reloading experience.