

FLAT BULLET SEATING MICROMETER - REDDING #14 FLAT BULLET SEATING MICROMETER

[Reloading](#) > [Reloading Dies](#) > [Replacement Parts & Upgrades](#)

Redding Bullet Seating Micrometers are for use with most standard Redding Seating Dies and provide a direct replacement for the original seat plug. They provide a direct replacement for the original seat plugs and can easily be changed from one die to another. Redding Bullet Seating Micrometers for bottleneck cartridges are available for traditional bullet shapes (STD) and for VLD bullet shapes (VLD). They are also available for handgun and straight wall cartridges with traditional bullet shapes (STD) and flat nose bullet designs (FLAT).



Attributes

- Name: [REDDING #14 FLAT BULLET SEATING MICROMETER](#)
- Manufacturer: [REDDING](#)
- Product no.: 749017215
- Mfr. No.: 09474
- Delivery weight: 0.084kg
- Shipping height: 19mm
- Shipping width: 19mm
- Shipping length: 114mm
- UPC: 611760094743

Item details

Made in USA

Table of Contents

- Startpage
- FLAT BULLET SEATING MICROMETER SAFETY INSTRUCTIONS
- About Us

FLAT BULLET SEATING MICROMETER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Redding Flat Bullet Seating Micrometer. This product is designed for safe and effective use with most standard Redding Seating Dies. To ensure your safety and the proper use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate safety gear, including eye protection, when handling reloading equipment.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the micrometer for any signs of wear or damage before use.
- In case of any malfunction or safety concern, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's recommended seating depth or pressure.
- Ensure that the micrometer is securely attached to the die before use.
- Avoid using the micrometer in wet or damp conditions to prevent corrosion.
- Do not modify the micrometer in any way, as this could compromise its safety and performance.
- Always follow reloading guidelines specific to the cartridge being used, including bullet shape compatibility.

Instructions for Installation and Usage

1. Installation:

- Remove the existing seat plug from your Redding Seating Die.
- Carefully insert the Redding Bullet Seating Micrometer into the die, ensuring it is seated properly.
- Tighten the locking mechanism to secure the micrometer in place.

2. Usage:

- Set the desired seating depth by adjusting the micrometer dial.
- Insert the cartridge case into the die and lower the seating stem.
- Apply steady pressure to seat the bullet to the desired depth.
- After seating, inspect the cartridge for proper bullet seating and overall integrity.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of in regular household waste. Check with local authorities for proper disposal methods for reloading components and equipment.

Contact Information for Further Support

For any questions or concerns regarding the Redding Flat Bullet Seating Micrometer, please refer to the manufacturer's website or contact your local distributor for assistance.

Thank you for prioritizing safety and compliance while using the Redding Flat Bullet Seating Micrometer. Enjoy

your reloading experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk