

FLAT BULLET SEATING MICROMETER - #15 FLAT BULLET SEATING MICROMETER

Redding Bullet Seating Micrometers are for use with most standard Redding Seating Dies and provide a direct replacement for the original seat plug. They provide a direct replacement for the original seat plugs and can easily be changed from one die to another. Redding Bullet Seating Micrometers for bottleneck cartridges are available for traditional bullet shapes (STD) and for VLD bullet shapes (VLD). They are also available for handgun and straight wall cartridges with traditional bullet shapes (STD) and flat nose bullet designs (FLAT).



Attributes

- Name: #15 FLAT BULLET SEATING MICROMETER
- Manufacturer: REDDING
- Product no.: 749017216
- Mfr. No.: 09475
- Delivery weight: 0.093kg
- Shipping height: 19mm
- Shipping width: 19mm
- Shipping length: 114mm
- UPC: 611760094750

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for FLAT BULLET SEATING MICROMETER #15](#)

Safety Instruction Guide for FLAT BULLET SEATING MICROMETER #15

Introduction

Thank you for purchasing the FLAT BULLET SEATING MICROMETER #15. This guide provides important safety information and instructions to ensure safe and effective use of the product. Please read this guide carefully before using the micrometer to ensure proper handling and avoid potential hazards.

General Safety Guidelines

- Always use the FLAT BULLET SEATING MICROMETER #15 in accordance with the manufacturer's instructions.
- Ensure that the micrometer is compatible with your Redding Seating Die before use.
- Keep the micrometer out of reach of children and vulnerable individuals.
- Inspect the micrometer regularly for any signs of wear or damage. Do not use if damaged.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Compatibility Check:** Ensure that the micrometer is suitable for the bullet shapes you are using (STD or VLD).
- **Proper Handling:** Handle the micrometer with care to avoid dropping or damaging it.
- **Eye Protection:** Always wear appropriate eye protection when using reloading equipment.
- **Work Environment:** Use the micrometer in a welllit and clean workspace to prevent accidents.
- **Avoid Distractions:** Concentrate fully on the task at hand and avoid distractions while using the micrometer.
- **Storage:** Store the micrometer in a safe place when not in use to prevent damage and ensure safety.

Instructions for Installation and Usage

1. Installation:

- Ensure your Redding Seating Die is clean and free from any debris.
- Remove the original seat plug from the die.
- Insert the FLAT BULLET SEATING MICROMETER #15 into the die, ensuring it is properly seated.
- Secure the micrometer in place according to the die's instructions.

2. Usage:

- Adjust the micrometer to the desired bullet seating depth as per your specifications.
- Carefully place the bullet into the die and apply consistent pressure to seat the bullet.
- Check the seating depth after each adjustment to ensure accuracy.
- If you need to switch the micrometer to another die, carefully remove it and repeat the installation process.

Disposal Instructions

- Dispose of the FLAT BULLET SEATING MICROMETER #15 responsibly at the end of its life cycle.
- Follow local regulations regarding electronic waste and materials.
- If the micrometer is damaged, consult local disposal guidelines to ensure safe disposal.

Contact Information for Further Support

For any inquiries or additional support regarding the FLAT BULLET SEATING MICROMETER #15, please consult the manufacturer's official website or contact their customer service for detailed assistance.

Thank you for taking the time to read this safety instruction guide. Proper use and care of your FLAT BULLET SEATING MICROMETER #15 will enhance your reloading experience and ensure safe operation.

