

FLAT BULLET SEATING MICROMETER - #16 FLAT BULLET SEATING MICROMETER

Redding Bullet Seating Micrometers are for use with most standard Redding Seating Dies and provide a direct replacement for the original seat plug. They provide a direct replacement for the original seat plugs and can easily be changed from one die to another. Redding Bullet Seating Micrometers for bottleneck cartridges are available for traditional bullet shapes (STD) and for VLD bullet shapes (VLD). They are also available for handgun and straight wall cartridges with traditional bullet shapes (STD) and flat nose bullet designs (FLAT).



Attributes

- Name: #16 FLAT BULLET SEATING MICROMETER
- Manufacturer: REDDING
- Product no.: 749017217
- Mfr. No.: 09476
- Delivery weight: 0.082kg
- Shipping height: 19mm
- Shipping width: 19mm
- Shipping length: 114mm
- UPC: 611760094767

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: FLAT BULLET SEATING MICROMETER #16 Safety Instructions](#)

FLAT BULLET SEATING MICROMETER #16 Safety Instructions

Introduction

Thank you for choosing the FLAT BULLET SEATING MICROMETER #16. This product is designed to enhance your reloading experience with precision and convenience. To ensure your safety and the optimal performance of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the FLAT BULLET SEATING MICROMETER #16 in accordance with the manufacturer's instructions.
- Ensure that the workspace is clean and free from any obstructions while using the micrometer.
- Keep the micrometer out of reach of children and pets to prevent accidents.
- Regularly inspect the micrometer for any signs of wear or damage before use.
- If you notice any defects or irregularities, discontinue use immediately and contact the manufacturer.
- Do not attempt to modify or alter the micrometer in any way.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when using the micrometer.
- Ensure that the micrometer is securely attached to the die to prevent slippage during use.
- Use the micrometer only with compatible Redding Seating Dies to avoid potential hazards.
- Be cautious when handling bullets and ensure they are stored safely.
- Do not exceed the recommended specifications for the micrometer to avoid malfunction or injury.

Instructions for Installation and Usage

1. Installation

- Remove the original seat plug from the Redding Seating Die.
- Carefully insert the FLAT BULLET SEATING MICROMETER #16 into the die, ensuring it is properly aligned.
- Secure the micrometer by tightening the locking mechanism, ensuring it is firmly in place.

2. Usage

- Adjust the micrometer to the desired bullet seating depth by turning the adjustment knob.
- Check the settings before starting the reloading process to ensure accuracy.
- After each adjustment, verify the seating depth by measuring the bullet with a caliper.
- Always follow the reloading guidelines provided by your bullet and powder manufacturers.

Disposal Instructions

- Dispose of the FLAT BULLET SEATING MICROMETER #16 in accordance with local regulations.
- Do not dispose of the micrometer in regular household waste.
- Consider recycling the product if possible, or return it to the manufacturer for proper disposal.

Contact Information for Further Support

For any inquiries or concerns regarding the FLAT BULLET SEATING MICROMETER #16, please refer to the manufacturer's contact information provided with the product packaging.

Conclusion

By following these safety instructions, you can ensure a safe and efficient reloading experience with your FLAT BULLET SEATING MICROMETER #16. Always prioritize safety and adhere to the guidelines for optimal performance. Thank you for your attention to these important safety measures.