

CONTOUR #2 - SHILEN 7MM 1-9 TWIST #2 CHROME MOLY BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Blanks](#)

Contour #2 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22



through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 7MM 1-9 TWIST #2 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787284092
- Mfr. No.: 7MM92CM
- Caliber: 284/7 mm (.284)
- Contour: #2
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-9
- Delivery weight: 1.315kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 660mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- CONTOUR #2 SHILEN 7MM 19 TWIST #2 CHROME MOLY BARREL Safety Instruction Guide
- About Us

CONTOUR #2 SHILEN 7MM 19 TWIST #2 CHROME MOLY BARREL Safety Instruction Guide

Introduction

Thank you for choosing the CONTOUR #2 SHILEN 7MM 19 TWIST #2 CHROME MOLY BARREL. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Always handle firearms and firearm components with care and respect.
- Ensure that the barrel is compatible with your firearm model before installation.
- Inspect the barrel for any signs of damage or defects before use.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Store the barrel in a safe, dry place, away from children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that you are trained and knowledgeable in the use of firearms before attempting to install or use this barrel.
- Always wear appropriate safety gear, including eye protection, when handling or installing the barrel.
- Do not use the barrel if it shows any signs of wear, damage, or defects.
- Keep the barrel clean and well-maintained to ensure optimal performance and safety.
- Avoid using ammunition that exceeds the specifications for the barrel.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and safety equipment before beginning installation.
- Ensure that your workspace is clean and free of distractions.

2. Installation Steps

- Verify that your firearm is unloaded and pointed in a safe direction.
- Remove the existing barrel from your firearm according to the manufacturer's instructions.
- Carefully align the CONTOUR #2 SHILEN barrel with the receiver of your firearm.
- Securely fasten the barrel in place, ensuring that it is properly torqued according to the specifications provided by the firearm manufacturer.
- Reassemble any other components as necessary.

3. Usage Guidelines

- Once installed, test the firearm in a safe environment to ensure proper function.
- Regularly inspect the barrel for signs of wear or damage during use.
- Clean the barrel after each use to maintain performance and safety.

Disposal Instructions

- Dispose of any damaged or unusable barrels in accordance with local regulations.
- Check with local authorities for proper disposal methods for firearm components.

Contact Information for Further Support

For any questions or concerns regarding the safety or performance of the CONTOUR #2 SHILEN 7MM 19 TWIST #2 CHROME MOLY BARREL, please consult your firearm dealer or a qualified gunsmith for assistance.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your new barrel. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk