

CONTOUR #5 BARREL - SHILEN 270 CALIBER 1-10 TWIST #5 STAINLESS BARREL

[Gunsmith Tools](#) > [Barrel Tools](#) > [Barrel Blanks](#)

Contour #5 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope inspected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 270 CALIBER 1-10 TWIST #5 STAINLESS BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787927105
- Mfr. No.: 270105SS
- Caliber: 270/6.8 mm (.277)
- Contour: #5
- Material: Stainless Steel
- Style: Match-Grade
- Twist: 1-10
- Delivery weight: 1.973kg
- Shipping height: 28mm
- Shipping width: 30mm
- Shipping length: 711mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for CONTOUR #5 BARREL SHILEN 270 CALIBER
- About Us

Safety Instruction Guide for CONTOUR #5 BARREL SHILEN 270 CALIBER

Introduction

Thank you for choosing the CONTOUR #5 BARREL SHILEN 270 CALIBER. This safety instruction guide is designed to help you use this product safely and effectively. Please read the entire guide before using the barrel to ensure your safety and the safety of others.

General Safety Guidelines

- Ensure that you are familiar with the proper handling and usage of firearms and related components.
- Always treat every firearm as if it is loaded.
- Store the barrel in a secure location, out of reach of children and unauthorized users.
- Inspect the barrel for any signs of damage or wear before use.
- Follow all local laws and regulations regarding firearms and ammunition.
- Use only compatible ammunition with the barrel specifications.
- Be aware of your surroundings when using the barrel to prevent accidents or injuries.

Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when using firearms.
- Do not exceed the recommended caliber specifications for the barrel.
- Ensure that the barrel is properly installed on the firearm before use.
- Avoid using the barrel if it shows any signs of defects or irregularities.
- Do not attempt to modify the barrel in any way.
- Be cautious of the barrel's heat after firing; allow it to cool before handling.
- Keep the barrel clean and well-maintained to ensure optimal performance.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the old barrel, if applicable, following the manufacturer's instructions.
- Align the new CONTOUR #5 BARREL with the receiver and ensure it fits securely.
- Tighten all screws or fasteners according to the manufacturer's specifications.
- Doublecheck the alignment and security of the barrel before proceeding.

2. Usage:

- Load the firearm only when ready to shoot.
- Follow the recommended loading procedures for your specific firearm.
- Maintain a proper shooting stance and grip on the firearm.
- Aim at a safe target area and be aware of what lies beyond.
- Fire the firearm only when you are certain it is safe to do so.
- After use, unload the firearm and clean the barrel according to the manufacturer's instructions.

Disposal Instructions

- Dispose of any unused or damaged barrels in accordance with local laws and regulations.
- Contact your local waste management authority for guidance on safe disposal methods.
- Do not dispose of barrels in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the use of the CONTOUR #5 BARREL SHILEN 270 CALIBER, please refer to the manufacturer's contact details provided with your purchase. It is important to seek assistance from qualified professionals for any technical inquiries or issues.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your CONTOUR #5 BARREL SHILEN 270 CALIBER. Always prioritize safety and responsibility when handling firearms. Thank you for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk