

REMINGTON 700 FACTORY CONTOUR PRE-THREADED BARREL - SHILEN .30-06 1-10 TWIST STANDARD CONTOUR CM BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrels](#)

Fits Remington Factory Stocks With Little-To-No Modification

Made for Brownells by Shilen to match the factory contour. Upgrade the performance and accuracy of Remington 700 rifles without costly stock work. Match-grade, short-chambered barrels have the correct contour to drop into Remington factory or aftermarket stocks with little-to-no barrel channel modifications. Install with your factory recoil lug. Muzzle is cut at 90° to the bore and ready for crowning. After installation, use a hand-turned, finish reamer to deepen chamber until correct headspace is reached. (Correct headspace gauges and reamer required.)



Attributes

- Name: [SHILEN .30-06 1-10 TWIST STANDARD CONTOUR CM BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 801780306
- Mfr. No.: NONE
- Barrel Weight: 2.68 lbs
- Cartridge: 30-06 Springfield
- Contour: Factory
- Finish: Chrome Moly
- Length: 25"
- Model: 700
- Twist: 1-10
- Weapon type: Remington
- Delivery weight: 1.216kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 686mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN .3006](#)
- [About Us](#)

Safety Instruction Guide for REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN .3006

Introduction

Thank you for choosing the REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN .3006. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your barrel. Please read this document carefully before using the product.

General Safety Guidelines

- Always handle firearms and firearm components with care and respect.
- Ensure that the firearm is unloaded before installing or handling the barrel.
- Use appropriate personal protective equipment (PPE), such as safety glasses and gloves, during installation.
- Store the barrel in a safe and secure location, away from children and unauthorized users.
- Be aware of your surroundings and ensure that you are in a safe environment when using the firearm.
- Follow all local laws and regulations regarding firearm ownership and use.
- Regularly inspect the barrel for any signs of damage or wear before each use.

Specific Safety Precautions for Use

- Ensure that the barrel is compatible with your Remington 700 rifle model.
- Do not attempt to modify or alter the barrel in any way that is not specified in the installation instructions.
- Check that the muzzle is cut at 90° to the bore and is properly crowned before use.
- Always use the correct headspace gauges and reamer when deepening the chamber.
- Do not exceed the recommended cartridge specifications for the barrel.
- If you are unsure about any aspect of the installation or use, consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and components, including the barrel, factory recoil lug, headspace gauges, and finish reamer.
- Ensure that you are working in a clean and organized area.

2. Installation Steps

- Remove the existing barrel from your Remington 700 rifle, ensuring that the firearm is unloaded and safe.
- Install the new Shilen barrel using the factory recoil lug as specified in the manufacturer's instructions.
- Ensure that the barrel is seated properly and securely.

3. Chamber Deepening

- After installation, use a handturned finish reamer to deepen the chamber until the correct headspace is reached.
- Regularly check the headspace using correct gauges to ensure safety and proper function.

4. Final Inspection

- Once installation is complete, conduct a thorough inspection of the barrel and firearm.
- Confirm that all components are securely fastened and functioning correctly.

5. Usage

- Load the firearm only when you are ready to shoot.
- Always point the firearm in a safe direction.
- Follow all standard safety practices when shooting.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the barrel reaches the end of its useful life, consult local guidelines for the disposal of firearm components.
- Never dispose of firearms or firearm components in a manner that could pose a risk to others.

Contact Information for Further Support

For any questions or concerns regarding the REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN .3006, please refer to the manufacturer's website or contact their customer support for assistance.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our top priority. Enjoy your new barrel responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk