

REMINGTON 700 FACTORY CONTOUR PRE-THREADED BARREL - SHILEN .308 WIN 1-10 TWIST VARMINT CONTOUR SS BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrels](#)

Fits Remington Factory Stocks With Little-To-No Modification

Made for Brownells by Shilen to match the factory contour. Upgrade the performance and accuracy of Remington 700 rifles without costly stock work. Match-grade, short-chambered barrels have the correct contour to drop into Remington factory or aftermarket stocks with little-to-no barrel channel modifications. Install with your factory recoil lug. Muzzle is cut at 90° to the bore and ready for crowning. After installation, use a hand-turned, finish reamer to deepen chamber until correct headspace is reached. (Correct headspace gauges and reamer required.)



Attributes

- Name: [SHILEN .308 WIN 1-10 TWIST VARMINT CONTOUR SS BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 801783308
- Mfr. No.: NONE
- Barrel Weight: 4.34 lbs
- Cartridge: 308 Winchester
- Contour: Varmint
- Finish: Stainless Steel
- Length: 26"
- Model: 700
- Muzzle: -
- Twist: 1-10
- Weapon type: Remington
- Delivery weight: 1.95kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 673mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN .308 WIN 110 TWIST VARMINT CONTOUR SS BARREL](#)
- [About Us](#)

Safety Instruction Guide for REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN .308 WIN 110 TWIST VARMINT CONTOUR SS BARREL

Introduction

Thank you for choosing the REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN .308 WIN 110 TWIST VARMINT CONTOUR SS BARREL. This product is designed to enhance the performance and accuracy of your Remington 700 rifle. It is essential to follow the safety guidelines and instructions in this document to ensure safe and effective use.

General Safety Guidelines

- Always handle firearms and firearm components with care.
- Ensure that you are familiar with local laws and regulations regarding firearm modifications.
- Use only compatible parts when upgrading your firearm.
- Store the barrel and any firearm components in a secure location, away from children and unauthorized users.
- Inspect the barrel for any signs of damage or defects before installation.
- Always wear appropriate safety gear, such as eye protection, when handling firearms.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing the barrel.
- Follow the manufacturer's instructions for installation to prevent accidents.
- Be aware of the potential hazards associated with improper installation, including misalignment and failure to achieve correct headspace.
- Use a handturned finish reamer carefully to deepen the chamber, ensuring that correct headspace is achieved.
- Always check for proper headspace using appropriate gauges after installation.
- If you are unsure about the installation process, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your workspace is clean and organized.
- Gather all necessary tools and components, including the barrel, recoil lug, and finish reamer.

2. Installation:

- Remove the existing barrel from your Remington 700 rifle according to the manufacturer's instructions.
- Install the new Shilen barrel using the factory recoil lug.
- Ensure that the muzzle is cut at 90° to the bore and ready for crowning.
- If necessary, use a handturned finish reamer to deepen the chamber until the correct headspace is reached. Verify headspace using appropriate gauges.

3. Final Checks:

- After installation, check the alignment of the barrel and ensure that it is securely attached.
- Clean the barrel and check for any debris before use.
- Test the firearm in a safe and controlled environment to ensure proper functionality.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the barrel or any components become damaged or unusable, dispose of them responsibly. Do not attempt to repair damaged firearm components.

Contact Information for Further Support

For any inquiries related to safety, installation, or product performance, please refer to the manufacturer or authorized dealer. It is important to have access to reliable support for any questions or concerns you may have.

Conclusion

By following these safety instructions and guidelines, you can ensure the safe and effective use of the REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN .308 WIN 110 TWIST VARMINT CONTOUR SS BARREL. Always prioritize safety and seek professional assistance if needed. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk