

MAXIMA FIXED RINGS - 30MM EXTRA HIGH (1.240") FIXED RINGS, BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Maxima Fixed Rings are designed to be the strongest, most durable fixed mount system available. Typical steel scope mounts in this class use only 2 screws per ring, have a narrower clamping band and in most cases only absorb recoil in the front ring. Maxima Fixed rings utilize 4 T-15 Torx style socket cap screws for secure optics mounting. The Maxima Fixed series fit Weaver style cross slot bases and incorporate a Warne square stainless steel recoil control key in both the front and rear rings. This ensures a "no slip" positive recoil surface across the entire slot of the base and is capable of withstanding the heaviest of recoil. The Maxima square recoil key also protects against swaging or peening of the base when used on softer or less durable materials. The Maxima Fixed ring band width is also substantially wider which offers more ring to scope clamping area to hold the optics firmly in place. The Maxima Fixed Rings are available in a durable DuPont power coat finish in either gloss or matte black and also an electroless silver nickel finish. Warne Maxima scope rings are designed to fit Warne bases as well as all Weaver cross slot and Mil-Spec Picatinny style bases and rails.



Attributes

- Name: [30MM EXTRA HIGH \(1.240"\) FIXED RINGS, BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000008
- Mfr. No.: 216M
- Finish: Matte Blue
- Height: .650"
- Scope Tube Diameter: 30mm
- Size: Extra High
- Style: Weaver-Style Rings
- Delivery weight: 0.249kg
- Shipping height: 23mm
- Shipping width: 114mm
- Shipping length: 157mm
- UPC: 656813000791

Item details

Made in USA

Table of Contents

- Startpage
- MAXIMA FIXED RINGS 30MM EXTRA HIGH Safety Instructions
- About Us

MAXIMA FIXED RINGS 30MM EXTRA HIGH Safety Instructions

Introduction

Thank you for choosing the MAXIMA FIXED RINGS 30MM EXTRA HIGH. These fixed rings are designed for secure optics mounting and are built to withstand heavy recoil. This safety instruction guide provides essential information to ensure safe and proper use of the product.

General Safety Guidelines

- **Product Safety:** Ensure that the product is used according to the guidelines provided. This product is designed for nonfood use and complies with EU safety regulations.
- **Enhanced Recalls:** Stay informed about possible recalls. If any safety issues arise, recall notices will be standardized and remedies will be provided at no cost.
- **Online Shopping:** When purchasing online, ensure that the seller meets all safety requirements similar to physical stores.
- **Special Consumer Focus:** Extra precautions should be taken when the product is used around vulnerable groups, particularly children.
- **EU Contact Point:** For any safety inquiries, refer to the appropriate EU-based contact point.
- **Rapid Alerts:** Check the EU's Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Inspect Before Use:** Always inspect the rings for any signs of damage or wear before installation.
- **Use Appropriate Tools:** Only use T15 Torx style socket cap screws for secure mounting.
- **Avoid Overtightening:** Do not overtighten the screws, as this may damage the rings or the scope.
- **Check Compatibility:** Ensure that the rings are compatible with your scope and base before installation.
- **Store Properly:** When not in use, store the rings in a cool, dry place away from direct sunlight.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a T15 Torx screwdriver.
- Ensure that your workspace is clean and free of debris.

2. Installation:

- Place the scope into the rings and align it with the desired eye relief.
- Position the front and rear rings on the scope base. Ensure they fit securely.
- Insert the T15 Torx screws into the rings and handtighten them initially.
- Using the T15 Torx screwdriver, tighten the screws evenly to secure the scope. Do not exceed the recommended torque specifications to prevent damage.

3. Usage:

- Once installed, check the stability of the scope by gently moving it. It should not shift or wobble.
- Before using the firearm, conduct a function check to ensure that the scope is properly aligned and securely mounted.

4. Post-Use Check:

- After each use, inspect the rings and screws for any signs of loosening or damage.
- Retighten if necessary, following the same procedure as above.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of in household waste.
- Check for recycling options for metal components.

Contact Information for Further Support

For any additional questions or concerns regarding the MAXIMA FIXED RINGS 30MM EXTRA HIGH, please refer to the appropriate contact point in your region for assistance.

Thank you for your attention to these safety instructions. Enjoy your experience with MAXIMA FIXED RINGS!

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz