

CZ 550 QUICK DETACH SCOPE RINGS - WARNE MFG. COMPANY 1" MEDIUM (0.925") QD 19MM DOVETAIL RINGS, BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Fits Tikka BRNO/CZ 527 & BRNO Integral Bases

Since each firearm manufacturer has their own proprietary mounting rail design, each ring model must be machined to exacting tolerances for proper fit and function. Because of this, the Warne CZ Rings are able to fit right onto the receiver's dovetail with no need for a mounting base. The CZ Quick Detach Rings sport the unique Warne indexable lever system which allows the user to remove the optics from the rifle then reattach it without the loss of zero, as well as allowing the location of the lever to be indexed once the rings are affixed to the bases. After the levers are tightened, simply pull out on the lever, turn it to the desired location then let it snap into place. Return to Zero Guaranteed, quickly detach and reattach the CZ QD rings with no loss of zero. Indexable lever allows placement of the levers in any position desired. CZ specific recoil pin for positive engagement of ring to receiver dovetail. Rings securely mount around scope using 4 Torx style T-15 socket cap screws, 25 in/lb. of torque recommended.



Attributes

- Name: [WARNE MFG. COMPANY 1" MEDIUM \(0.925"\) QD 19MM DOVETAIL RINGS, BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000071
- Mfr. No.: 1BLM
- Finish: Matte Blue
- Height: .425"
- Scope Tube Diameter: 1"
- Size: Medium
- Style: Quick-Release Rings
- Delivery weight: 0.181kg
- Shipping height: 23mm
- Shipping width: 109mm
- Shipping length: 147mm
- UPC: 656813011957

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for CZ 550 Quick Detach Scope Rings
- About Us

Safety Instruction Guide for CZ 550 Quick Detach Scope Rings

Introduction

Thank you for choosing the CZ 550 Quick Detach Scope Rings from Warne Mfg. Company. This guide provides important safety instructions and usage guidelines to ensure your product is used safely and effectively. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the scope rings are compatible with your firearm's dovetail.
- Always handle firearms and accessories with care and follow all local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Inspect the scope rings regularly for signs of wear or damage.
- Do not modify the scope rings in any way, as this may compromise their safety and functionality.
- If you experience any issues or have concerns about the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installing or adjusting the scope rings.
- Always check that the rings are securely tightened before using the firearm.
- Be aware of your surroundings and ensure a safe shooting environment when using the firearm.
- Use eye protection and hearing protection when using firearms.
- If using in adverse weather conditions, ensure that the scope rings and optics are adequately protected from moisture and debris.

Instructions for Installation and Usage

1. Preparation

- Gather necessary tools: Torx T15 screwdriver.
- Ensure your firearm is unloaded and in a safe position.

2. Installation

- Align the CZ Quick Detach Rings with the dovetail on your firearm's receiver.
- Place the rings onto the dovetail, ensuring a snug fit.
- Secure the rings using the four Torx style T15 socket cap screws provided.
- Tighten the screws to a torque of 25 in/lb. for optimal security.

3. Lever Adjustment

- After tightening, pull out on the lever and turn it to your desired position.
- Allow the lever to snap back into place, ensuring it is securely indexed.

4. Checking Zero

- After installation, verify that the scope maintains zero by firing a test shot.
- If adjustments are needed, make them slowly and carefully.

5. Detaching and Reattaching the Scope

- To detach the scope, pull out the lever and rotate it to release the rings from the dovetail.
- To reattach, align the rings with the dovetail and follow the lever adjustment steps.

Disposal Instructions

- Dispose of packaging materials in accordance with local recycling guidelines.
- If the product reaches the end of its life, dispose of it in a manner that complies with local waste management regulations.
- Do not dispose of the product in fire, as it may create hazardous conditions.

Contact Information for Further Support

For any questions or concerns regarding the CZ 550 Quick Detach Scope Rings, please refer to the manufacturer's website or contact your local dealer for assistance.

Thank you for your attention to these safety instructions. Following these guidelines will help ensure your safety and the effective performance of your CZ 550 Quick Detach Scope Rings.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk