

# MAXIMA FIXED RINGS - 1" HIGH (1.025") FIXED RINGS, BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Maxima Fixed Rings are designed to be the strongest, most durable fixed mount system available. Typical steel scope mounts in this class use only 2 screws per ring, have a narrower clamping band and in most cases only absorb recoil in the front ring. Maxima Fixed rings utilize 4 T-15 Torx style socket cap screws for secure optics mounting. The Maxima Fixed series fit Weaver style cross slot bases and incorporate a Warne square stainless steel recoil control key in both the front and rear rings. This ensures a "no slip" positive recoil surface across the entire slot of the base and is capable of withstanding the heaviest of recoil. The Maxima square recoil key also protects against swaging or peening of the base when used on softer or less durable materials. The Maxima Fixed ring band width is also substantially wider which offers more ring to scope clamping area to hold the optics firmly in place. The Maxima Fixed Rings are available in a durable DuPont power coat finish in either gloss or matte black and also an electroless silver nickel finish. Warne Maxima scope rings are designed to fit Warne bases as well as all Weaver cross slot and Mil-Spec Picatinny style bases and rails.



## Attributes

- Name: [1" HIGH \(1.025"\) FIXED RINGS, BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947005132
- Mfr. No.: 202M
- Finish: Matte Blue
- Height: .525"
- Scope Tube Diameter: 1"
- Size: High
- Style: Weaver-Style Rings
- Delivery weight: 0.204kg
- Shipping height: 23mm
- Shipping width: 109mm
- Shipping length: 145mm
- UPC: 656813000241

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [MAXIMA FIXED RINGS Safety Instruction Guide](#)
- [About Us](#)

# MAXIMA FIXED RINGS Safety Instruction Guide

## Introduction

Thank you for choosing the MAXIMA FIXED RINGS. This guide provides essential safety instructions to ensure the safe use and installation of your scope rings. Please read this document carefully before using the product.

## General Safety Guidelines

- Ensure that all safety precautions are followed to prevent accidents or injuries.
- Always inspect the product for any visible damage before installation or use.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only for its intended purpose as described in the specifications.
- Be aware of the potential hazards associated with improper installation or use of the product.

## Specific Safety Precautions for Use

- **Recoil Management:** The MAXIMA FIXED RINGS are designed to withstand heavy recoil. Ensure that the rings are securely mounted to prevent any movement during use.
- **Installation Tools:** Use only the recommended T15 Torx style socket cap screws for installation. Using incorrect tools may lead to improper installation and potential damage.
- **Material Compatibility:** When installing the rings, ensure that the base material is compatible with the stainless steel recoil control key to avoid damage.
- **Visual Inspection:** Regularly check the fixed rings for wear or damage, especially after heavy use. Replace any damaged components immediately.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a T15 Torx screwdriver.
- Ensure that the scope and base are clean and free of debris.

### 2. Installation:

- Position the MAXIMA FIXED RINGS on the Weaverstyle cross slot base.
- Align the rings so that they are level and properly positioned.
- Insert the four T15 Torx screws into each ring and tighten securely. Do not overtighten, as this may damage the screws or rings.
- Ensure that the Warner square stainless steel recoil control key is properly engaged in both the front and rear rings.

### 3. Mounting the Scope:

- Carefully place the scope into the rings, ensuring it is centered.
- Adjust the rings to secure the scope firmly in place.
- Tighten the screws evenly to maintain alignment and prevent movement.

### 4. Final Check:

- After installation, doublecheck all screws to ensure they are tight and secure.
- Test the setup by gently moving the scope to ensure it is firmly held in place.

## **Disposal Instructions**

- Dispose of any packaging materials in accordance with local regulations.
- When disposing of the MAXIMA FIXED RINGS, follow local electronic waste disposal guidelines to ensure environmentally responsible disposal.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the MAXIMA FIXED RINGS, please refer to the contact information provided on the product packaging or visit the manufacturer's website.

By adhering to the guidelines outlined in this safety instruction guide, you can ensure the safe and effective use of your MAXIMA FIXED RINGS. Thank you for your attention to safety.

# About Us

## Brownells Česká republika

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)