

# 1911 EXTRACTOR TENSIONING TOOL - WEIGAND COMBAT EXTRACTOR TENSIONING TOOL

[Gunsmith Tools](#) > [Handgun Tools](#) > [Action & Frame Tools](#) > [Extractor Tools](#)

## Improves Case Feeding, Extraction & Ejection

Easily puts just the right bend in the extractor, without over-bending, for precise tension adjustment, right to the ounce. Use in conjunction with the Weigand Extractor Tension Gauges to fine tune the extractor for optimum extraction and feeding reliability. Carry in your range bag to keep the extractor performing its best.



## Attributes

- Name: [WEIGAND COMBAT EXTRACTOR TENSIONING TOOL](#)
- Manufacturer: [WEIGAND COMBAT](#)
- Product no.: 957000037
- Mfr. No.: EAT
- Model: Commander, Government, Officers
- Weapon type: 1911
- Delivery weight: 0.159kg
- Shipping height: 28mm
- Shipping width: 81mm
- Shipping length: 145mm

## Item details

Made in USA

# Table of Contents

- Startpage
- 1911 Extractor Tensioning Tool Safety Instructions
- About Us

# 1911 Extractor Tensioning Tool Safety Instructions

## Introduction

Thank you for choosing the 1911 Extractor Tensioning Tool by Weigand Combat. This tool is designed to assist in the precise adjustment of extractor tension, ensuring optimal extraction and feeding reliability for your firearm. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Always use the tool in accordance with the manufacturer's instructions.
- Ensure that the tool is used in a safe environment, free from distractions and hazards.
- Keep the tool out of reach of children and unauthorized users.
- Regularly inspect the tool for any signs of wear or damage before use.
- If the tool is damaged, do not use it and contact a professional for repair or replacement.
- Report any unsafe conditions or incidents related to the tool to the appropriate authorities.

## Specific Safety Precautions for Use

- Always wear appropriate safety gear, including safety glasses, when using the tool.
- Ensure that the firearm is unloaded and pointed in a safe direction before adjusting the extractor.
- Do not overbend the extractor; follow the recommended tension adjustments to avoid damaging the extractor.
- Use the tool only for its intended purpose. Do not attempt to use it for any other applications.
- Be cautious when handling the tool to avoid injury from sharp edges or components.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure that your firearm is unloaded and in a safe condition.
- Gather the necessary tools, including the Weigand Extractor Tension Gauges for finetuning.

### 2. Using the Extractor Tensioning Tool

- Position the extractor in the tool.
- Follow the manufacturer's guidelines to apply the appropriate amount of tension.
- Use the Weigand Extractor Tension Gauges to measure the tension accurately.
- Make adjustments as necessary, ensuring not to overbend the extractor.

### 3. PostUse Care

- After use, clean the tool to remove any debris or residue.
- Store the tool in a safe location, ideally in a range bag, to prevent damage and ensure it remains in good working condition.

## Disposal Instructions

- Dispose of the tool in accordance with local regulations regarding metal waste.
- If the tool is no longer functional or safe to use, consider recycling it to minimize environmental impact.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the 1911 Extractor Tensioning Tool, please contact the manufacturer directly. They can provide assistance and information about product safety, usage, and maintenance.

By following these safety instructions, you can ensure a safe and effective experience with the 1911 Extractor Tensioning Tool. Thank you for your attention to safety!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)