

Solid Brass Jag - Solid Brass Jag 243 / 6mm Caliber

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

- Caliber specific individual Solid Brass Cleaning Jags
- Designed to provide a tight fit between the patch and the bore
- Pointed tip keeps the patch centered
- Jags have 8-32 threads
- .17 and .20 Cal Jags have 5-40 thread

NO IMAGE
AVAILABLE

Attributes

- Name: [Solid Brass Jag 243 / 6mm Caliber](#)
- Manufacturer: [TIPTON](#)
- Product no.: EU1001025
- Mfr. No.: 696435
- Caliber: 243 Caliber
- Delivery weight: 0.05kg
- Shipping height: 20mm
- Shipping width: 52mm
- Shipping length: 147mm
- UPC: 661120964353

Table of Contents

- Startpage
- Safety Instruction Guide for Tipton Solid Brass Jag 243 / 6mm Caliber
- About Us

Safety Instruction Guide for Tipton Solid Brass Jag 243 / 6mm Caliber

Introduction

Thank you for choosing the Tipton Solid Brass Jag for your cleaning needs. This product is designed to provide effective cleaning for firearms of .243 and 6mm caliber. Please read this safety instruction guide carefully to ensure safe and proper use.

General Safety Guidelines

- Always use the Tipton Solid Brass Jag as intended and follow the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the Jag before each use to ensure it is free of defects or damage.
- Do not use the Jag if it shows any signs of wear or damage.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before using the cleaning Jag.
- Always wear appropriate safety gear, such as gloves and eye protection, when cleaning firearms.
- Use the Jag only with compatible calibers to avoid potential hazards.
- Avoid applying excessive force when using the Jag to prevent damage to the firearm or the Jag itself.
- Store the Jag in a safe, dry place when not in use to prevent deterioration.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary cleaning supplies, including patches and cleaning solvent.

2. Attaching the Jag:

- Take the Tipton Solid Brass Jag and check that the threads are clean and undamaged.
- Screw the Jag onto the cleaning rod, ensuring a secure fit. The Jag has 832 threads, so use a compatible cleaning rod.

3. Using the Jag:

- Take a cleaning patch and place it over the pointed tip of the Jag.
- Gently press the patch onto the Jag to ensure it is centered.
- Insert the Jag into the firearm's bore and pull it through, ensuring a tight fit between the patch and the bore.
- Repeat as necessary, using a clean patch for each pass.

4. PostUse Care:

- After cleaning, detach the Jag from the cleaning rod.
- Clean the Jag with a suitable solvent to remove any residue.
- Store the Jag in a safe location, away from moisture and children.

Disposal Instructions

- Dispose of the Tipton Solid Brass Jag in accordance with local regulations.
- If the Jag is damaged or no longer usable, consider recycling it if possible.
- Do not dispose of the Jag in regular household waste if it can be recycled.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Tipton Solid Brass Jag, please contact the manufacturer directly. Ensure that you have the product details on hand for reference.

Thank you for your attention to these safety instructions. Your safety and the proper use of the Tipton Solid Brass Jag are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk