

# **Solid Brass Jag - Solid Brass Jag 338 / 8mm Caliber**

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

- Caliber specific individual Solid Brass Cleaning Jags
- Designed to provide a tight fit between the patch and the bore
- Pointed tip keeps the patch centered
- Jags have 8-32 threads
- .17 and .20 Cal Jags have 5-40 thread

NO IMAGE  
AVAILABLE

## **Attributes**

- Name: [Solid Brass Jag 338 / 8mm Caliber](#)
- Manufacturer: [TIPTON](#)
- Product no.: EU1001029
- Mfr. No.: 485467
- Caliber: 338 Caliber
- Delivery weight: 0.05kg
- Shipping height: 22mm
- Shipping width: 52mm
- Shipping length: 150mm
- UPC: 661120854678

# Table of Contents

- Startpage
- Tipton Solid Brass Jag Safety Instructions
- About Us

# Tipton Solid Brass Jag Safety Instructions

## Introduction

Thank you for choosing the Tipton Solid Brass Jag for your cleaning needs. This product is designed to provide a reliable and efficient way to clean your firearms. To ensure safe and effective use, please read and follow these safety instructions carefully.

## General Safety Guidelines

- Always handle firearms in a safe manner, treating every gun as if it is loaded.
- Keep the cleaning jags out of reach of children and unauthorized users.
- Inspect the jags for any signs of damage or wear before use.
- Use the jags only for their intended purpose: cleaning firearms.
- Follow all manufacturer instructions for the cleaning process.
- Ensure proper ventilation when using cleaning solvents or oils.

## Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before attempting to clean it.
- Use only caliberspecific jags that match the caliber of your firearm to avoid damage.
- Be cautious of the pointed tip of the jag; it can cause injury if mishandled.
- Do not force the jag into the bore; it should fit snugly but not require excessive force.
- Avoid using the jag with excessive pressure, which can damage the bore or the jag itself.
- Store the jags in a safe and dry place when not in use to prevent rust and corrosion.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary cleaning supplies, including cleaning patches, solvent, and a cleaning rod.

### 2. Attaching the Jag

- Select the appropriate caliberspecific jag (either .338 or 8mm).
- Screw the jag onto the cleaning rod using the 832 threads.
- For .17 and .20 caliber jags, ensure you are using the 540 thread.

### 3. Cleaning Process

- Moisten a cleaning patch with the appropriate solvent.
- Place the patch over the pointed tip of the jag, ensuring it is centered.
- Insert the jag into the bore, applying gentle pressure to avoid damage.
- Pull the jag and patch through the bore in a smooth motion.
- Repeat as necessary until the bore is clean.

### 4. PostCleaning

- After cleaning, inspect the jag for any signs of damage.
- Clean the jag with a dry cloth to remove any residue.
- Store the jag in a safe location, away from moisture.

## **Disposal Instructions**

- Dispose of any used cleaning patches and solvents according to local regulations.
- Do not dispose of jags in regular household waste if they are damaged; follow local hazardous waste disposal guidelines.

## **Contact Information for Further Support**

For any safety inquiries or additional support regarding the Tipton Solid Brass Jag, please refer to the manufacturer's contact information included with your product packaging.

By following these safety instructions, you can ensure a safe and effective cleaning experience with your Tipton Solid Brass Jag. Thank you for prioritizing safety while maintaining your firearms.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)