

RL550 Accessories - Gold Anodized RL 550C Toolhead

[Reloading](#) > [Reloading Presses](#) > [Reloading Press Accessories](#)

These lighter weight Aluminum toolheads are machined from billet using the same precise CNC machining as our standard toolheads. Available in four different colors to allow you to quickly differentiate between calibers or load types.

NO IMAGE
AVAILABLE

Attributes

- Name: [Gold Anodized RL 550C Toolhead](#)
- Manufacturer: [DILLON](#)
- Product no.: EU2005669
- Mfr. No.:
- Delivery weight: 155kg

Table of Contents

- [Startpage](#)
- [Dillon RL550 Accessories Gold Anodized RL 550C Toolhead Safety Instructions](#)
- [About Us](#)

Dillon RL550 Accessories Gold Anodized RL 550C Toolhead Safety Instructions

Introduction

Thank you for choosing the Dillon RL550 Accessories Gold Anodized RL 550C Toolhead. This toolhead is designed to enhance your reloading experience with its lightweight aluminum construction and precise CNC machining. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always ensure that the toolhead is compatible with your Dillon RL550 reloading press before use.
- Store the toolhead in a dry, cool place away from direct sunlight and moisture.
- Inspect the toolhead for any signs of damage or wear before each use.
- Keep the toolhead and all reloading equipment out of reach of children and unauthorized users.
- Follow all manufacturer instructions for the Dillon RL550 reloading press to ensure safe operation.

Specific Safety Precautions for Use

- Use appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling the toolhead.
- Do not modify the toolhead in any way; alterations can lead to unsafe operation.
- Ensure the reloading press is securely mounted and stable before attaching or detaching the toolhead.
- Do not exceed the recommended load capacities of the toolhead; refer to the Dillon RL550 specifications for guidance.
- Avoid wearing loose clothing or jewelry that could become caught in the reloading press during operation.

Instructions for Installation and Usage

1. Installation:

- Ensure the Dillon RL550 reloading press is turned off and unplugged.
- Remove the existing toolhead if applicable.
- Align the Gold Anodized RL 550C Toolhead with the mounting points on the Dillon RL550 press.
- Securely fasten the toolhead using the provided screws, ensuring a tight fit without overtightening.
- Doublecheck that the toolhead is properly installed before proceeding to use.

2. Usage:

- Refer to the Dillon RL550 reloading press manual for specific operating instructions.
- Monitor the reloading process closely to identify any unusual sounds or movements.
- If you notice any irregularities during operation, immediately stop using the toolhead and inspect for issues.
- After completing your reloading session, clean the toolhead and press to remove any debris or residue.

Disposal Instructions

- Dispose of the toolhead in accordance with local waste disposal regulations.
- If the toolhead is damaged beyond repair, recycle the aluminum material where facilities exist.
- Do not dispose of the toolhead in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the Dillon RL550 Accessories Gold Anodized RL 550C Toolhead, please refer to the manufacturer's website or customer service for assistance.

Conclusion

By following these safety instructions, you can ensure a safe and efficient reloading experience with your Dillon RL550 Accessories Gold Anodized RL 550C Toolhead. Always prioritize safety and adhere to the guidelines provided in this document. Thank you for your attention to these important safety measures.

About Us

Brownells Italia

Brownells Italia - The shop of the largest dealer of components and accessories for target shooting guns, defense and hunting

**Sede Legale e Operativa **

Brownells Italia Srl

Via Dante Alighieri 163

25068 Sarezzo Bs

P.Iva e C.F. IT02801420981

www.brownells.it