

MEPRO RDS PRO V2 - ELECTO-OPTICAL RED DOT SIGHT PRO - RDS PRO V2 GREEN DOT ELECTRO OPTICAL RED DOT SIGHT

[Optics & Mounting](#) > [Electronic Sights](#) > [Reflex Sights](#)

The most vivid, high-contrast red dot optic on earth. The Mepro RDS Pro V2 red dot is the civilian counterpart to the battle sight trusted by the Israel Defense Force and other elite military and law-enforcement units worldwide. This battle-proven operative is the next iteration of the original Mepro RDS red dot. A Picatinny sight with an ultra-wide display window gives you outstanding situational awareness. It features a 2 MOA red dot, 16 brightness settings for lighting conditions, preset reticle patterns: dot or bullseye in red or green, and thousands of hours of run time for a single AA battery. The efficient LED power, auto-shutoff, and motion sensor keep the energy up, so it's ready when you need it most. Built as lives depend on it; because they do. The MEPRO RDS PRO V2 electro-optical red dot sight is rugged and reliable, the shockproof aluminum base that displays extreme durability, energy-efficient, compact optic sight, providing thousands of operating hours from a single "AA" battery (Alkaline or Lithium). 16 selectable brightness settings: 12 for daytime, 4 for Night Vision with GEN II and GEN III NVG's, allowing you to adjust to changing light conditions. The MEPRO RDS PRO V2 fits every tactical scenario in ambiances of brighter light or subdued light. The Mepro RDS PRO V2 is equipped with unique energy-saving features such as the Auto shut-off/Auto power-resume function. The sensor shuts the optic off to preserve battery life when not in use. It automatically turns back on when in motion. The large display window and clearly-defined reticle ensure rapid target acquisition with both eyes open and an Unlimited field of view, parallax free. The MEPRO RDS PRO V2 facilitates long-range target engagement and is compatible with Magnifying Scopes such as Mepro MX3F/T or other available models.

NO IMAGE
AVAILABLE

Attributes

- Name: [RDS PRO V2 GREEN DOT ELECTRO OPTICAL RED DOT SIGHT](#)
- Manufacturer: [MEPROLIGHT](#)
- Product no.: EU2010438
- Mfr. No.: 56850119
- Battery: AA
- Colour: Black
- Magnification: 1x
- Reticle: 2 MOA Dot
- Sight Type: Reflex
- Delivery weight: 0.28kg
- Shipping height: 68mm
- Shipping width: 60mm
- Shipping length: 117mm
- UPC: 810013522143

Item details

This product contains a battery.

Table of Contents

- [Startpage](#)
- [MEPRO RDS PRO V2 Safety Instruction Guide](#)
- [About Us](#)

MEPRO RDS PRO V2 Safety Instruction Guide

Introduction

Thank you for choosing the MEPRO RDS PRO V2 ElectroOptical Red Dot Sight. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this guide carefully before using the sight to understand the safety precautions and proper usage.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this manual.
- Keep the sight out of reach of children and vulnerable individuals to prevent accidents.
- Regularly inspect the sight for any signs of damage or wear. If damage is detected, do not use the sight until it has been repaired or replaced.
- Always handle the sight with care, avoiding drops or impacts that could cause damage.
- Store the sight in a cool, dry place when not in use to prevent moisture and dust accumulation.
- Be aware of your surroundings when using the sight to maintain situational awareness.

Specific Safety Precautions for Use

- Always ensure that the sight is securely mounted on your firearm before use.
- Use only the recommended AA batteries (Alkaline or Lithium) to avoid damage to the sight.
- Do not attempt to disassemble or modify the sight, as this may void the warranty and pose safety risks.
- Avoid exposing the sight to extreme temperatures, humidity, or direct sunlight for prolonged periods.
- When using the sight in lowlight conditions, ensure that you select the appropriate brightness setting to avoid glare or discomfort.
- Be cautious when using the sight in conjunction with magnifying scopes to maintain clarity and accuracy.

Instructions for Installation and Usage

1. Installation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Attach the MEPRO RDS PRO V2 to the Picatinny rail of your firearm, ensuring it is securely fastened.
- Adjust the sight to your preferred position for optimal visibility.

2. Powering On:

- Insert a single AA battery into the sight as per the indicated polarity.
- Turn on the sight using the designated power button.

3. Adjusting Brightness:

- Use the brightness adjustment buttons to select from the 16 available settings.
- Choose a setting that is appropriate for your lighting conditions.

4. Using the Reticle:

- Align the 2 MOA dot or bullseye reticle with your target for accurate aiming.
- Keep both eyes open for better situational awareness and target acquisition.

5. Auto ShutOff Feature:

- The sight will automatically shut off when not in use to conserve battery life. It will reactivate when

it detects motion.

Disposal Instructions

- Dispose of the sight and its components in accordance with local regulations.
- Do not dispose of batteries in regular household waste. Follow local guidelines for battery disposal or recycling.
- If the sight is damaged beyond repair, ensure that it is disposed of safely to prevent environmental harm.

Contact Information for Further Support

For any inquiries regarding safety, usage, or maintenance of the MEPRO RDS PRO V2, please refer to the manufacturer's support resources. Always ensure you are following the latest safety guidelines and recall notices.

Thank you for your attention to these safety instructions. Proper use and care of the MEPRO RDS PRO V2 will enhance your shooting experience while ensuring safety for yourself and others.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk