

XRS Complete Chassis System Savage - MDT XRS CHASSIS Savage LA CIP FDE

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

The XRS Chassis is designed for shooters that want the fit and feel of a traditional shaped rifle stock with the benefits of a modern precision rifle chassis system. Each XRS Chassis is constructed from a full-length CNC machined core of 6061 aircraft grade aluminum wearing high strength textured polymer panels for insulation from the elements. The precision aluminum V-block bedding system ensures fit and function to maximize the accuracy of any rifle action. The XRS Chassis features a replaceable over molded and textured grip system, with both an angled grip and a vertical grip included in box.

NO IMAGE
AVAILABLE

The XRS Chassis is the most advanced and configurable crossover stock on the market and is the ideal performance upgrade for any factory rifle or foundation for a custom rifle build. Weighing in at 1,7kg (depending on inlet), the XRS is ideal for both hunting or target rifles. The XRS features adjustable length of pull via spacers from 13.25" to 15+" and a quick adjust cheek piece to adjust for scope height over bore. The XRS accepts standard AICS pattern magazines and has an easy to manipulate ambidextrous magazine latch. The generous 12" long Forend comes with M-LOK slots built in for accessory mounting and attachment of ARCA or picatinny rails.

Specifications

Length

- 32.25" chassis system

Weight

- Starting at 1,7kg
- (Depending on rifle model)

Grip Compatibility

- Compatible only with the included vertical and angled grips

Attributes

- Name: [MDT XRS CHASSIS Savage LA CIP FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2011641
- Mfr. No.: 106015-FDE
- Action Type: Short
- Colour: FDE
- Hand: Right
- Hand (RH LH): Right

- Material: 6061 Aluminum
- Model: 10, 12, 16, 11
- Style: Chassis
- Weapon type: Savage Arms
- Delivery weight: 2.39kg
- Shipping height: 70mm
- Shipping width: 184mm
- Shipping length: 908mm
- UPC: 682157410361

Table of Contents

- [Startpage](#)
- [MDT XRS Complete Chassis System Safety Instructions](#)
- [About Us](#)

MDT XRS Complete Chassis System Safety Instructions

Introduction

Thank you for choosing the MDT XRS Complete Chassis System. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your product. Please read this document thoroughly before installation and use.

General Safety Guidelines

- Ensure safe use of the chassis system by following all instructions provided.
- Be aware of potential risks associated with the use of firearms and related accessories.
- Use the chassis system only with compatible rifle models as specified in the product description.
- Always handle firearms responsibly and in compliance with local laws and regulations.
- Keep the chassis system and all firearms out of reach of children and unauthorized users.
- Regularly inspect the chassis system for any signs of wear or damage before each use.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):** Always wear appropriate PPE, including safety glasses and hearing protection, when using firearms.
- **Shooting Environment:** Ensure that you are in a safe shooting environment, free from obstacles and bystanders.
- **Firearm Compatibility:** Use the chassis system only with Savage Arms models 10, 12, 16, and 11. Ensure the rifle action is compatible with the chassis.
- **Grip Usage:** Use the included vertical and angled grips as specified. Do not attempt to modify or use unapproved grips.
- **Magazine Handling:** Always ensure the magazine is securely latched before use. Check for proper seating and functionality.
- **Length of Pull Adjustment:** Adjust the length of pull carefully and ensure it is securely locked in place before use.
- **Cheek Piece Adjustment:** Adjust the cheek piece for comfort and proper alignment with your scope. Ensure it is securely fastened.
- **Forend Accessories:** When using MLOK slots for accessory mounting, ensure all attachments are securely fastened to avoid accidents.

Instructions for Installation and Usage

1. Installation:

- Remove the existing stock from your rifle according to the manufacturer's instructions.
- Align the rifle action with the Vblock bedding system in the chassis.
- Secure the rifle action using the provided screws as per the installation manual.
- Ensure that the action is seated properly and that there is no movement.

2. Grip Attachment:

- Choose either the vertical or angled grip.
- Follow the instructions included with the grip for proper attachment to the chassis.

3. Length of Pull Adjustment:

- Use the provided spacers to adjust the length of pull from 13.25" to 15+".
- Ensure that spacers are securely locked into place after adjustment.

4. Cheek Piece Adjustment:

- Adjust the cheek piece to fit your scope height.
- Ensure it is securely fastened before use.

5. Magazine Loading:

- Use standard AICS pattern magazines.
- Load the magazine according to the manufacturer's instructions.

6. Accessory Mounting:

- Use the MLOK slots to attach any accessories.
- Ensure all attachments are securely fastened before use.

Disposal Instructions

- Dispose of the chassis system and any associated materials in accordance with local regulations.
- Do not dispose of in regular household waste. Check for recycling options for aluminum and polymer materials.

Contact Information for Further Support

For any inquiries regarding safety, usage, or installation, please refer to the manufacturer's website or customer support resources.

By following these guidelines, you can ensure a safe and effective experience with your MDT XRS Complete Chassis System. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk