

Glock Magazin 9mm - 17 Round Glock Magazine 9mm

[Magazines](#) > [Handgun Magazines](#) > [Magazines](#)

The 17 Round Glock Magazine 9mm has many features including a stainless steel spring, easily removable floorplate for cleaning, color pen dot matrix for magazine identification, fluted floorplate edges for better grip and capacity indicator windows. The 17 Round Glock Magazine 9mm can be removed from the gun when loaded or unloaded.

NO IMAGE
AVAILABLE

Attributes

- Name: [17 Round Glock Magazine 9mm](#)
- Manufacturer: [GERMAN TACTICAL SYSTEMS](#)
- Product no.: EU2011657
- Mfr. No.: GTS-7495-BLK
- Capacity: 17-Round
- Colour: Black
- Material: Polymer
- Model: 17
- Weapon type: Glock
- Delivery weight: 0.4kg
- Shipping height: 80mm
- Shipping width: 80mm
- Shipping length: 200mm
- EAN: 0792649432297

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Glock Magazin 9mm 17 Round](#)
- [About Us](#)

Safety Instruction Guide for Glock Magazin 9mm 17 Round

Introduction

Thank you for choosing the Glock Magazin 9mm 17 Round. This magazine is designed to provide reliable performance and safety. It is important to read and understand these safety instructions to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always treat all firearms and ammunition as if they are loaded.
- Keep the magazine out of reach of children and unauthorized users.
- Always ensure the firearm is pointed in a safe direction when loading or unloading the magazine.
- Regularly inspect the magazine for any signs of wear or damage.
- Do not use the magazine with any other firearm than the specified model.
- Follow all local laws and regulations regarding the use and storage of firearms and ammunition.

Specific Safety Precautions for Use

- Ensure that the magazine is fully inserted into the firearm before use.
- Do not attempt to disassemble or modify the magazine.
- Avoid exposing the magazine to extreme temperatures or moisture, as this may affect its performance.
- If the magazine becomes jammed or malfunctioning, do not attempt to fix it while it is loaded.
- Always use factorymanufactured ammunition that is compatible with the Glock 9mm.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is pointed in a safe direction.
- With the firearm in a safe state (unloaded), align the magazine with the magazine well.
- Push the magazine firmly into the magazine well until it clicks into place.

2. Loading the Magazine:

- Hold the magazine with the bullets facing up.
- Press the bullets down into the magazine, ensuring they are seated correctly.
- Do not exceed the magazine capacity of 17 rounds.

3. Using the Magazine:

- Insert the loaded magazine into the firearm as described above.
- Make sure the magazine is locked in place before attempting to fire the firearm.

4. Removing the Magazine:

- Ensure the firearm is pointed in a safe direction.
- Press the magazine release button on the firearm to remove the magazine.
- The magazine can be removed whether it is loaded or unloaded.

Disposal Instructions

- Dispose of the magazine in accordance with local laws and regulations.
- If the magazine is damaged or no longer functional, do not attempt to repair it. Instead, dispose of it safely.
- Recycle any components if applicable, following local recycling guidelines.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the appropriate authorities or contact the manufacturer directly. Ensure that you have the product information readily available to facilitate assistance.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your Glock Magazin 9mm 17 Round. Always prioritize safety and responsible handling of firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk