

Magazine - Metal - SA - 6mm ARC - 12 Round - BLK

[Magazines](#) > [Rifle Magazines](#) > [Magazines](#)

The MDT AICS-Pattern Metal Magazines are designed for shooters who demand reliability, durability, and performance. Featuring MDT's unique Double Stack to Single Feed (DSSF) transition, these magazines offer a reduced overall height for smoother, more efficient mag changes — especially when shooting prone.

1. Compact Design - The 12-round magazine is approximately $\frac{3}{4}$ " shorter than standard AICS magazines, making it easier to handle and change mags in tight shooting positions.
2. Premium Materials - Made from high-strength steel, ensuring long-lasting performance even in harsh conditions.
3. Ultimate Protection - Finished inside and out with Cerakote Elite, offering exceptional durability, corrosion resistance, and reduced friction for smoother feeding.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Magazine - Metal - SA - 6mm ARC - 12 Round - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2013836
- Mfr. No.: 105627-BLK
- Capacity: 12-Round
- Color: Black
- Material: Metal
- Delivery weight: 0.27kg
- Shipping height: 32mm
- Shipping width: 142mm
- Shipping length: 219mm
- UPC: 682157403639

Table of Contents

- Startpage
- Safety Instruction Guide for MDT Magazine Metal SA 6mm ARC 12 Round BLK
- About Us

Safety Instruction Guide for MDT Magazine Metal SA 6mm ARC 12 Round BLK

Introduction

Thank you for choosing the MDT AICSPattern Metal Magazine. This guide provides essential safety instructions to ensure the safe use, handling, and disposal of your magazine. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the magazine is compatible with your firearm before use.
- Always handle the magazine with care to prevent accidental discharge.
- Keep the magazine out of reach of children and vulnerable individuals.
- Regularly inspect the magazine for signs of wear or damage.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before inserting or removing the magazine.
- Do not attempt to modify the magazine in any way.
- Avoid exposing the magazine to extreme temperatures or harsh chemicals.
- Store the magazine in a dry, cool place when not in use.
- Use only ammunition that is specified for use with the magazine.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is pointed in a safe direction and is unloaded.
- Align the magazine with the magazine well of the firearm.
- Firmly insert the magazine until it clicks into place.

2. Usage:

- Load the magazine by inserting cartridges into the magazine feed lips.
- Ensure that the cartridges are seated properly and are not protruding.
- Insert the magazine into the firearm as described in the installation section.
- Always check that the magazine is securely locked in place before firing.

3. Removal:

- Ensure the firearm is pointed in a safe direction and is unloaded.
- Press the magazine release button or lever on the firearm.
- Gently pull the magazine out of the magazine well.

Disposal Instructions

- Dispose of the magazine in accordance with local regulations regarding metal recycling.
- If the magazine is damaged or no longer functional, contact local waste management for proper disposal methods.
- Do not dispose of the magazine in regular household waste.

Contact Information for Further Support

For any safety inquiries or further support regarding the MDT AICSPattern Metal Magazine, please refer to the product packaging for contact details or visit the manufacturer's website.

Conclusion

By following these safety guidelines and instructions, you can ensure a safer experience with your MDT AICSPattern Metal Magazine. Always prioritize safety and compliance with local regulations. Thank you for your attention to these important safety measures.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at