

Buttstock - Skeleton Rifle Stock - XTN Interface - SRS-X Lite Short - FDE

[Rifle Parts](#) > [Stock Parts](#) > [Buttstocks](#)

The MDT SRS-X Lite Buttstock is built for shooters who demand best-in-class strength, ergonomics, and precision adjustability—without sacrificing comfort. CNC-machined from rugged 6061-T6 aluminum, the SRS-X Lite features a lightweight, skeletonized design that delivers a rock-solid structure while keeping weight down. Built for comfort and control, this buttstock is fully adjustable to match your shooting style.

- Fine-tune your Length of Pull (LOP) using the included spacers.
- Achieve the perfect cheek weld easily by adjusting the cheek riser up, down, or front-to-back with simple set screws.
- The buttpad can be moved in and out to customize your LOP even further.
- An integrated bolt cut-out in the cheek rest ensures quick, hassle-free bolt removal.
- Built-in QD sling mount for added versatility.
- Compatible with MDT Dampeners and weights for recoil management.

NO IMAGE
AVAILABLE

Specs:

- LOP Adjustment: 1.00"
- Cheek Riser Front-Back Travel: 0.78"
- Cheek Riser Height Adjustment: 1.00"

Compatibility:

- Fits any MDT chassis system using the XTN interface.
(Not AR-compatible.)
- Strong, lightweight, and fully adjustable—the SRS-X Lite is ready to fit your rifle and your mission.

Attributes

- Name: [MDT Buttstock - Skeleton Rifle Stock - XTN Interface - SRS-X Lite Short - FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2014388
- Mfr. No.: 109509-FDE
- Colour: FDE
- Material: 6061 Aluminum
- Delivery weight: 0.95kg
- Shipping height: 70mm
- Shipping width: 171mm
- Shipping length: 337mm
- UPC: 723905909871

Table of Contents

- Startpage
- MDT Buttstock Safety Instruction Guide
- About Us

MDT Buttstock Safety Instruction Guide

Introduction

Thank you for choosing the MDT SRSX Lite Buttstock. This product is designed for shooters who demand strength, ergonomics, and precision adjustability. To ensure safe use and maximize your experience, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the buttstock is installed correctly before use.
- Always handle firearms with care and follow all safety protocols.
- Inspect the buttstock regularly for any signs of wear or damage.
- Keep the buttstock and all firearm components out of reach of children and unauthorized users.
- Do not exceed the specified adjustments for Length of Pull (LOP) and cheek riser height.
- Be aware of your surroundings when using the firearm equipped with this buttstock.
- Report any unsafe conditions or defects to the appropriate authorities immediately.

Specific Safety Precautions for Use

- Do not use the buttstock if it appears damaged or malfunctioning.
- Adjust the LOP and cheek riser only when the firearm is not in use.
- Ensure that the buttpad is securely attached before use.
- Use the provided spacers as instructed to achieve the desired LOP.
- Avoid placing excessive weight or pressure on the buttstock when not in use.
- Always wear appropriate eye and ear protection when shooting.

Instructions for Installation and Usage

1. Installation

- Ensure that your MDT chassis system is compatible with the XTN interface.
- Align the buttstock with the chassis and insert it into the XTN interface.
- Secure the buttstock by tightening the set screws provided.
- Verify that the buttstock is firmly attached and does not move.

2. Adjusting Length of Pull (LOP)

- Use the included spacers to achieve your desired LOP.
- To add or remove spacers, loosen the set screws on the buttstock.
- Adjust the buttpad in and out as needed for further customization.

3. Adjusting Cheek Riser

- Loosen the set screws on the cheek riser.
- Adjust the riser up, down, or fronttoback to achieve the perfect cheek weld.
- Tighten the set screws securely once the desired position is achieved.

4. Using the Integrated Bolt CutOut

- The bolt cutout allows for quick and easy bolt removal.
- Ensure the firearm is unloaded and pointed in a safe direction before using the cutout.

5. Using the QD Sling Mount

- Attach your sling to the builtin QD sling mount for added versatility.
- Ensure that the sling is securely fastened before use.

Disposal Instructions

- Dispose of the buttstock in accordance with local regulations.
- Do not dispose of the buttstock in regular household waste.
- Contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For safety inquiries or assistance regarding the MDT SRSX Lite Buttstock, please refer to the appropriate contact point as indicated on the product packaging or documentation.

By following these guidelines, you can ensure safe and effective use of your MDT SRSX Lite Buttstock. Thank you for prioritizing safety and enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk