

Holosun Pa 509T Dot Mount - Holosun, Primary Arms 509T Red Dot Rifle Mount

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

This red dot mount was built to work with the Holosun 509T footprint red dots such as the Holosun 509T reflex sights and those from Primary Arms. Uniquely, it's built for reversible use in that it can be used on the rear or front of the receiver and will match the contour of the receiver.

Material: 7075 Aluminum

Coating: Matte Black Anodizing

Overall Length: 2"

Overall Width: .870"

Mounting Hardware: Two 8-40 mounting screws

Red Dot Fitment: Holosun 509T

NO IMAGE
AVAILABLE

This Mount Fits:

Camp Carbine 9mm (does not fit the early models, the hole spacing is different)

Camp Carbine 45

Glenfield 30

Rossi 95

Smith & Wesson 1854

Henry Big Boy (fits rear of the receiver where you have two holes; front only has one)

Henry 3030 (H009)

Henry 4570 (H010)

Henry Big Boy (H012)

Henry Long Ranger (H014)

Henry .410

Henry Side Gate Lever Action (H024)

Henry Long Ranger

Henry Homesteader

Marlin 1895

Marlin 1894

Marlin 336

Marlin 375

Marlin 444

Marlin Model 36

Attributes

- Name: [Holosun, Primary Arms 509T Red Dot Rifle Mount](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014760
- Mfr. No.: 35
- Delivery weight: 0.45kg
- Shipping height: 12.7mm
- Shipping width: 50.8mm
- Shipping length: 22.098mm
- UPC: 850068664269

Table of Contents

- Startpage
- Holosun PA 509T Dot Mount Safety Instructions
- About Us

Holosun PA 509T Dot Mount Safety Instructions

Introduction

Thank you for choosing the Holosun PA 509T Dot Mount. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before installation and usage.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the red dot mount by following the instructions provided. This product is designed for specific models and should only be used as intended.
- **Enhanced Recalls:** Stay informed about any recalls that may affect your product. If you receive a notice, follow the instructions for returning or remedying the product.
- **Online Shopping:** If purchased online, ensure that the seller complies with safety regulations. Verify that the product meets the necessary safety standards.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors to prevent accidents.
- **EU Contact Point:** For safety inquiries, refer to the manufacturer or retailer from whom you purchased the product.
- **Rapid Alerts:** Check the EU's Safety Gate platform regularly for updates on product safety and recalls.

Specific Safety Precautions for Use

- **Installation:** Ensure that the mount is installed correctly to prevent accidents. Follow the installation instructions carefully.
- **Compatibility:** Verify that the mount is compatible with your firearm. This mount is designed for specific models listed in the product description.
- **Inspection:** Regularly inspect the mount for any signs of wear or damage. Do not use if damaged.
- **Secure Mounting:** Ensure that all screws and hardware are securely tightened before use. Loose components can lead to malfunction or accidents.
- **Environment:** Use the mount in appropriate conditions. Avoid exposure to extreme temperatures or harsh weather conditions.
- **Training:** Ensure that you are trained in the safe operation of firearms and accessories. Seek professional guidance if necessary.

Instructions for Installation and Usage

1. **Gather Tools:** Before installation, gather the necessary tools, including a screwdriver for the mounting screws.
2. **Identify Mounting Location:** Determine the appropriate location on your firearm for mounting the Holosun PA 509T Dot Mount. This can be on the rear or front of the receiver.
3. **Align the Mount:** Position the mount over the designated area on the firearm, ensuring that it aligns with the Holosun 509T footprint.
4. **Insert Mounting Screws:** Using the provided 840 mounting screws, attach the mount securely to the firearm. Ensure each screw is tightened but do not overtighten to avoid stripping the threads.
5. **Check Fitment:** After installation, check that the mount is securely attached and that there is no movement. If there is any play, recheck the screws.
6. **Attach Red Dot Sight:** Follow the manufacturer's instructions for attaching the Holosun 509T red dot sight to the mount.
7. **Final Inspection:** Before using the firearm, conduct a final inspection to ensure everything is securely in place and functioning correctly.

Disposal Instructions

- **Environmental Considerations:** Dispose of the product responsibly. Follow local regulations for disposing of aluminum and other materials.
- **Recycling:** If possible, recycle the aluminum components. Check with local recycling centers for guidelines on metal recycling.
- **Hazardous Materials:** Ensure that any hazardous materials are disposed of according to local laws and regulations.

Contact Information for Further Support

For any questions or concerns regarding the Holosun PA 509T Dot Mount, please refer to the manufacturer or retailer from whom you purchased the product. They will provide the necessary support and information.

By following these safety instructions, you can ensure the safe and effective use of your Holosun PA 509T Dot Mount. Thank you for prioritizing safety and compliance in your use of this product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk