

Order Cloverleaf Adjustable Peep Sight + 5" Picatinny Rail Scope Mount - CloverLeaf Adjustable Peep Sight + 5" Picatinny Rail Scope Mount

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Due to popular demand, we've integrated our innovative, patent-pending [CloverLeaf Peep Sight aperture springs](#) with our ultra tough [RHINO picatinny rail design](#). The new two-piece product incorporates the best of both lines, and even improves upon our original rail, bringing down the overall rail height for one of the lowest scope mounting heights available. This is a terrific benefit on Marlin and Henry lever action rifles with dropped comb butt stocks.

RAIL HEIGHT: .28" (low rings!)

RAIL LENGTH: 5.5"

HOLE SPACING ON RECEIVER FROM REAR HOLE: .5", 3.25", 3.75"

WINDAGE: Side-to-side (using set screw)

SIGHT HEIGHT ELEVATION: .26" - .36" (using set screw)

Fits Marlin & Henry Rifle Caliber Rifles (ALL MODELS): calibers 30-30, 35 Rem, 308, 338, 38-55, 410, 444, 45/70 Govt, 450M

DOES NOT fit Henry or Marlin revolver pistol caliber rifles (44 mag, 357 mag, 45 colt); smaller receiver holes are not drilled / tapped in the same place.

IN THE PACKAGE: One 5.5" inch long picatinny rail sights with mounting screws and Allen wrench; one peep aperture spring w/windage and elevation screws

Key Features Of Adjustable Picatinny Rail:

- Mount your scope as low as it will go! At only .28" tall, the picatinny rail along with the low-profile peep sight allows users use low scope rings to get the best cheek to butt stock shooting position (accepts most standard and Weaver rings)
- The 5.5" long rail has a broad, tapered sight channel and the sight is mounted amidships vs. rear allowing for flexible fore/aft scope mounting
- Patent pending one-piece picatinny peep sight aperture spring assembly offers robust, repeatable adjustment (windage and elevation quick turn screws)
- Low-profile aperture height elevations (from .26" - .36"). *For Marlin Firearms rifles, if you like your front sight, you can keep your front sight. Seriously. No, we mean it. For Henry's, some come with a pretty tall front sight so you may need a shorter front sight.*
- Patent-pending CloverLeaf aperture options provide an exceptionally large, bright target picture while still allowing for scope-like, precise shot placement
- Aperture spring assembly with green fiber optics
- Machined from premium 7075 aluminum and mil-spec anodized
- Mil-spec picatinny rail (not compatible with Weaver picatinny spec

NO IMAGE
AVAILABLE

mounts)

- Picatinny Sights designed to be used with scope removed

Innovation, attention to detail, uncompromising functionality, stunning good looks, and "clover leaf groups" precision put our RPP CloverLeaf picatinny rail peep sight in a class by themselves. Shoot beautifully.

-

Attributes

- Name: [CloverLeaf Adjustable Peep Sight + 5" Picatinny Rail Scope Mount](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014761
- Mfr. No.: 34
- Delivery weight: 0.45kg
- Shipping height: 25.4mm
- Shipping width: 152.4mm
- Shipping length: 203.2mm
- UPC: 850078124074

Table of Contents

- Startpage
- Safety Instructions for Order Cloverleaf Adjustable Peep Sight + 5" Picatinny Rail Scope Mount
- About Us

Safety Instructions for Order Cloverleaf Adjustable Peep Sight + 5" Picatinny Rail Scope Mount

Introduction

Thank you for choosing the Order Cloverleaf Adjustable Peep Sight + 5" Picatinny Rail Scope Mount. This product has been designed with safety and functionality in mind. Please read this safety instruction guide carefully to ensure safe usage and optimal performance of your new sight.

General Safety Guidelines

- Ensure that you are familiar with the operation and maintenance of your firearm before using the Cloverleaf Peep Sight.
- Always follow the manufacturer's instructions for your firearm and any accessories.
- Keep this product and all firearms out of the reach of children and unauthorized users.
- Regularly inspect the sight and mounting hardware for signs of wear or damage.
- Avoid using the product in conditions that may compromise safety, such as extreme weather or poor visibility.
- If you suspect any malfunction or damage, discontinue use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when using firearms.
- Ensure that the firearm is unloaded before installing or adjusting the peep sight.
- Do not modify the peep sight or mounting hardware in any way as this may compromise safety and functionality.
- When adjusting the sight, make small adjustments and test the firearm's accuracy in a safe environment.
- Use only compatible scope rings that meet the specifications for lowprofile mounting.
- Be aware of your surroundings and ensure a safe shooting environment at all times.
- When storing the firearm with the sight attached, ensure it is in a secure location and properly stored.

Instructions for Installation and Usage

Installation Steps

1. **Gather Tools:** Ensure you have all necessary tools, including an Allen wrench (included), and compatible lowprofile scope rings.
2. **Prepare the Firearm:** Make sure the firearm is unloaded and pointed in a safe direction.
3. **Remove Existing Sight (if applicable):** If replacing an existing sight, carefully remove it according to the manufacturer's instructions.
4. **Position the Picatinny Rail:** Align the Cloverleaf Picatinny Rail with the mounting holes on the receiver. Ensure the rail is positioned correctly for optimal sight alignment.
5. **Secure the Rail:** Using the provided screws, securely attach the Picatinny rail to the receiver. Do not overtighten as this may damage the rail or the firearm.
6. **Attach the Peep Sight:** Place the Cloverleaf Adjustable Peep Sight onto the rail. Adjust the position as needed for your shooting style.
7. **Tighten the Sight:** Use the provided screws to secure the peep sight in place. Ensure it is firmly attached but avoid excessive force.
8. **Adjust for Windage and Elevation:** Use the set screws to adjust the sight for windage (sidetoside) and elevation (height) as needed. Make small adjustments and test for accuracy.
9. **Final Inspection:** Inspect the installation to ensure everything is secure and properly aligned.

Usage Instructions

- When using the Cloverleaf Peep Sight, maintain a proper shooting stance and ensure your cheek rests comfortably on the stock.
- Adjust the sight height between .26" and .36" as necessary for your shooting position.
- If using a scope, ensure it is properly mounted and aligned with the peep sight for optimal accuracy.
- Regularly check the sight and rail for any signs of loosening or wear, especially after extensive use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- If the product becomes damaged or is no longer usable, ensure it is disposed of in a manner that prevents any potential harm to the environment.
- Consider recycling components where possible.

Contact Information for Further Support

For any inquiries regarding safety, installation, or performance of the Cloverleaf Adjustable Peep Sight, please refer to the manufacturer's website or contact your local retailer. Always ensure you have the most current information and guidelines regarding your product.

Thank you for your attention to these safety instructions. Your safety and the safety of others is paramount when using firearms and accessories. Enjoy your shooting experience with the Cloverleaf Adjustable Peep Sight!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk