

Marlin 336 444 308 338 "Flyweight" Easy Loading Gate - Marlin 336 444 Load Gate (Red)

[Home](#)

Compatibility:

Compatible with Rossi 95 rifles in 45-70, 30-30, 444, and 360

Not compatible with Rossi 95 rifles in .357 Mag., .44 Mag, or .45 Colt

Lightweight and Precise:

Reduces spring tension by up to 70%

Requires only 0.7 kg (1.5 lbs) of force to open — compared to over 2.3 kg (5

lbs) on the factory loading gate

Material:

Precision-machined from 7075-T6 aluminum

Hard-anodized for extreme durability

Harder than heat-treated steel, offering exceptional wear resistance

NO IMAGE
AVAILABLE

Attributes

- Name: [Marlin 336 444 Load Gate \(Red\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014801
- Mfr. No.: 2006
- Weapon type: Marlin
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 152.4mm
- Shipping length: 203.2mm
- UPC: 850078124210

Table of Contents

- Startpage
- Safety Instruction Guide for Marlin 336 444 308 338 "Flyweight" Easy Loading Gate
- About Us

Safety Instruction Guide for Marlin 336 444 308 338 "Flyweight" Easy Loading Gate

Introduction

Thank you for choosing the Marlin 336 444 308 338 "Flyweight" Easy Loading Gate. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is compatible with your firearm model before use.
- Always handle firearms with care and follow all safety protocols.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the loading gate for wear and damage.
- If you notice any defects or issues, discontinue use and seek professional assistance.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Compatibility:** This loading gate is compatible with Rossi 95 rifles in 4570, 3030, 444, and 360. It is not compatible with Rossi 95 rifles in .357 Mag, .44 Mag, or .45 Colt.
- **Force Requirement:** The loading gate requires only 0.7 kg (1.5 lbs) of force to open, significantly reducing spring tension compared to factory loading gates.
- **Material Safety:** The loading gate is precisionmachined from 7075T6 aluminum and hardanodized for durability. It is harder than heatreated steel, providing exceptional wear resistance.
- **Installation Safety:** Follow the installation instructions carefully to avoid improper fitting, which may lead to malfunction or injury.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools for installation (if required).

2. Installation:

- Remove the factory loading gate according to the manufacturer's instructions.
- Align the Marlin 336 444 Easy Loading Gate with the designated area on your rifle.
- Secure the loading gate firmly, ensuring there are no gaps or misalignments.
- Doublecheck the installation for stability and proper function.

3. Usage:

- To load your firearm, apply a gentle force of 0.7 kg (1.5 lbs) to open the loading gate.
- Ensure that the loading gate closes securely after loading.
- Regularly check the loading gate for any signs of wear or damage during use.

Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If the product reaches the end of its life cycle, dispose of it in a way that complies with local waste

management regulations for aluminum products.

Contact Information for Further Support

For any inquiries or issues regarding the Marlin 336 444 308 338 "Flyweight" Easy Loading Gate, please refer to the manufacturer's customer service or support resources.

By following these guidelines, you can ensure the safe and effective use of your Marlin 336 444 308 338 "Flyweight" Easy Loading Gate. Thank you for prioritizing safety in your firearm handling practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk